

Material Safety Data Sheet

Section 1 — Chemical Product And Company Identification

Manufacturer: LHB Industries Emergency Telephone Number (800) 424-9300 (Chemtrec) 8833 Fleischer Place Information Telephone Number (314) 423-4333

Berkeley, Mo 63134 Date of Preparation July 18, 2007

Product ID: Power Green, 22 oz Trigger, 1 Gal, 5 Gal, 55 Gal

LHB Part Number: 1064089, 1064092, 1064090, 1064091

National Stock Number: 7930-01-373-8849, 7930-01-373-8848, 7930-01-373-8845, 7930-01-373-8844

CAGE Code: 1A864

Section 2 — Composition / Information On Ingredients

CAS No.	Ingredient	Wt%	ACGIH TWA <stel></stel>	OSHA PEL <stel></stel>	Vapor Pressure (mm Hg 20°C)
Proprietary	Alcohol ethoxylates (mixture)	<7	NE	NE	
68-08-2	Sodium Citrate	2-5	NE	NE	
68604-71-7	Disodium Cocoampho Dipropionate	<3	NE	NE	

Section 3 — Hazards Identification

ROUTES OF EXPOSURE: Exposure may be by INGESTION, INHALATION and/or SKIN or EYE contact, depending on conditions of use. To minimize exposure, follow recommendations for proper use, ventilation, and personal protective equipment.

EFFECTS OF OVEREXPOSURE: Irritation of eyes, skin and upper respiratory system.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Headache, dizziness, nausea, and loss of coordination are indications of excessive exposure to vapors or spray mists. Redness and itching or burning sensation may indicate eve or excessive skin exposure.

MEDICAL CONDITIONS AGRAVATED BY EXPOSURE: Pre-existing respiratory, skin, eye, liver, kidney and lymphatic disorders

CANCER INFORMATION: For complete discussion of toxicology data refer to Section 11.

Section 4 — First Aid Measures

INHALATION: If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

SKIN CONTACT: Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Call a physician if irritation persists. Wash clothing and shoes before reuse.

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes. Consult medical personnel. INGESTION: If swallowed, do not induce vomiting unless directed to by medical personnel. Drink one or two glasses of water. Never give anything by mouth to an unconscious person. Consult medical personnel.

Section 5 — Fire Fighting Measures

FLASH POINT None LEL N/A UEL N/A

EXTINGUISHING MEDIA: This product is not expected to burn.

SPECIAL PROTECTIVE EQUIPMENT: Water may be used to keep fire-exposed containers cool. Fire fighters

should wear full protective clothing, including self-contained breathing equipment.

NEPA RATING: HEALTH 1. FLAMMABILITY 0. REACTIVITY 0.

HMIS CLASSIFICATION: HEALTH 1, FLAMMABILITY 0, REACTIVITY 0

Section 6 — Accidental Release Measures

PERSONAL PRECAUTIONARY MEASURES: Read entire label before using and follow all label directions. ENVIRONMENTAL PRECAUTIONARY PROCEDURE FOR CLEANING/ABSORPTION: Wipe, scrape or soak up contents in an inert material. Pick up spill for recovery or disposal and place in a closed container. Dispose of in accordance with applicable Federal. State & Local regulations.

Section 7 — Handling and Storage

HANDLING: Keep out of reach of children. Do not take internally. Do not consume food, drink or smoke while handling this product.

STORAGE: Keep from freezing. Avoid storage in high temperatures or near open flame. Store in dry cool place.

Section 8 — Exposure Controls/Personal Protection

ENGINEERING CONTROLS: Local Exhaust preferable. General exhaust acceptable if the exposure to materials in Section 2 is maintained below applicable exposure limits.

RESPIRATORY PROTECTION: If personal exposure cannot be controlled to below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH/MSHA for protection against materials in Section 2.

GLOVES: Wear chemical resistant gloves to avoid skin contact.

SKIN PROTECTION: Impervious clothes to protect skin. Wash promptly when skin becomes contaminated. EYES: Safety classes with side shields or chemical googles.

OTHER PERSONAL PROTECTION DATA: Avoid contact with skin and eyes. Wash hands after using.



Material Safety Data Sheet

Section 9 — Physical and Chemical Properties

PHYSICAL STATE: Liquid COLOR: Green.

ODOR: No fragrance added

SPECIFIC GRAVITY: 1.015 DENSITY: 8.46 lb/gal

11.0

VAPOR PRESSURE: < 3 mmHa @25°C EVAPORATION RATE: Slower than ether

SOLUBILITY IN WATER: Soluble

Section 10 — Stability and Reactivity

CHEMICAL STABILITY: HAZARDOUS POLYMERIZATION: Will not occur CONDITIONS TO AVOID: Mone

MATERIAL TO AVOID: Acids. Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide, and Carbon Dioxide

Section 11 — Toxicological Information

TOXICOLOGY DATA (listed if available)

Section 12 — Ecological Information

ECOLOGICAL INFORMATION: No data available

Section 13 — Disposal Considerations

DISPOSAL OF WASTE METHOD: Dispose of in accordance with Federal, State, and Local regulations regarding pollution.

Section 14 — Transport Information

U.S. DOT 49 CFR 172.101 Hazardous Material Table

DOT STATUS: Not regulated DOT SHIPPING NAME: N/A UN/NA NUMBER: N/A HAZARD CLASS: N/A DOT PACKING GROUP: N/A

IATA: List of Dangerous Goods

PROPER SHIPPING NAME: Not regulated

HAZARD CLASS OR DIVISION: IDENTIFICATION NUMBER: N/A PACKING GROUP: N/A

Section 15 — Regulatory Information

U.S. REGULATORY RULES

SARA SECTION 302 None SARA 313 CHEMICALS None CALIFORNIA PROPOSITION 65 None

TSCA CERTIFICATION All chemicals in this product are listed, or are exempt from

listing on the TSCA Inventory.

VOC CONTENT <1.00% by wt

Section 16 — Other Information

REVISION NUMBER: 03

ADDITIONAL INFORMATION: This MSDS meets the requirements of 29 CFR 1910.1200.

IMPORTANT NOTE: This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or any process. Final determination of suitability of any material is the sole responsibility of the

Prepared by: Mark Epstein, R&D Manager

*** END OF MSDS***