

	PRODUCT CODE	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	GAL CAP	DRY LOAD RATING (LBS)	WET LOAD RATING (LBS)	CASE/PALLET	NET WT/CS (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
1	PC 07 LW BK	22	25	0.30	7.6	50	20	1000	7-10	36	24	72	11.0	30
2	PC 07 LW N	22	25	0.30	7.6	50	20	1000	7-10	36	24	72	11.0	30
3	PC 07 XH BK	22	25	0.45	11.4	50	10	500	7-10	44	34	105	8.3	30
4	PC 07 XH N	22	25	0.45	11.4	50	10	500	7-10	44	34	105	8.3	30
5	PC 10 LW BK	23	31	0.30	7.6	50	20	1000	12-16	37	24	72	14.3	30
6	PC 10 LW N	23	31	0.30	7.6	50	20	1000	12-16	37	24	72	14.3	30
7	PC 10 XH BK	23	31	0.45	11.4	50	10	500	12-16	45	33	105	10.7	30
8	PC 10 XH N	23	31	0.45	11.4	50	10	500	12-16	45	33	105	10.7	30
9	PC 24 LW BK	24	24	0.30	7.6	50	20	1000	7-10	36	24	72	11.5	30
10	PC 24 LW N	24	24	0.30	7.6	50	20	1000	7-10	36	24	72	11.5	30
11	PC 32 LW BK	24	32	0.30	7.6	50	20	1000	12-16	36	28	72	15.4	30
12	PC 32 LW N	24	32	0.30	7.6	50	20	1000	12-16	36	28	72	15.4	30
13	PC SJ HR BK	28	45	0.58	14.7	25	10	250	Slim Jim®	55	36	105	12.2	70
14	PC SJ HR N	28	45	0.58	14.7	25	10	250	Slim Jim®	55	36	105	12.2	70
15	PC SJ XH BK	28	45	0.70	17.8	25	10	250	Slim Jim®	64	52	72	14.7	70
16	PC SJ XH N	28	45	0.70	17.8	25	10	250	Slim Jim®	64	52	72	14.7	70
17	PC 36 LW BK	30	36	0.30	7.6	25	20	500	20-30	36	30	105	10.8	30
18	PC 36 LW N	30	36	0.30	7.6	25	20	500	20-30	36	30	105	10.8	35
19	PC 36 LR BK	30	36	0.35	8.9	25	10	250	20-30	36	30	105	6.3	30
20	PC 36 LR N	30	36	0.35	8.9	25	10	250	20-30	36	30	105	6.3	30
21	PC 36 MR BK	30	36	0.45	11.4	25	10	250	20-30	46	31	105	8.1	30
22	PC 36 MR N	30	36	0.45	11.4	25	10	250	20-30	46	31	105	8.1	30
23	PC 36 HR BK	30	36	0.59	15.0	25	10	250	20-30	55	41	105	10.6	70
24	PC 36 HR N	30	36	0.59	15.0	25	10	250	20-30	55	41	105	10.6	70
25	PC 36 XH BK	30	36	0.70	17.8	25	8	200	20-30	73	53	105	10.1	70
26	PC 36 XH N	30	36	0.70	17.8	25	8	200	20-30	73	53	105	10.1	70
27	PC 39 MR BK	33	39	0.45	11.4	25	10	250	32-33	46	31	105	9.7	30
28	PC 39 MR N	33	39	0.45	11.4	25	10	250	32-33	46	31	105	9.7	30
29	PC 39 HR BK	33	39	0.59	15.0	25	10	250	32-33	59	44	72	12.7	70
30	PC 39 HR N	33	39	0.59	15.0	25	10	250	32-33	59	44	72	12.7	70
31	PC 39 XH BK	33	39	0.70	17.8	25	6	150	32-33	73	54	105	9.0	70
32	PC 39 XH N	33	39	0.70	17.8	25	6	150	32-33	73	54	105	9.0	70
33	PC 43 HR BK	30	43	0.59	15.0	25	10	250	32-33	59	43	105	12.7	70
34	PC 44 MR N	36	47	0.45	11.4	25	10	250	44 Brute®	46	34	105	12.7	70
35	PC 44 MR BK	36	47	0.45	11.4	25	10	250	44 Brute®	46	34	105	12.7	70
36	PC 44 HR N	36	47	0.59	15.0	25	10	250	44 Brute®	59	47	72	16.6	70
37	PC 44 HR BK	36	47	0.59	15.0	25	10	250	44 Brute®	59	45	72	16.6	70
38	PC 44 XH N	36	47	0.70	17.8	25	8	200	44 Brute®	73	55	105	15.8	70
39	PC 44 XH BK	36	47	0.70	17.8	25	8	200	44 Brute®	73	55	105	15.8	70
40	PC 46 MR N	40	46	0.45	11.4	25	10	250	40-45	55	37	72	13.8	30
41	PC 46 MR BK	40	46	0.45	11.4	25	10	250	40-45	55	37	72	13.8	30

LW Light waste • MR Medium refuse • HR Heavy refuse • XH Extra heavy refuse • N Natural with contact clarity • BK Black

	PRODUCT CODE	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	GAL CAP	DRY LOAD RATING (LBS)	WET LOAD RATING (LBS)	CASE/PALLET	NET WT/CS (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
43	PC 46 HR BK	40	46	0.59	15.0	25	10	250	40-45	64	52	72	18.1	70
44	PC 46 HR N	40	46	0.59	15.0	25	10	250	40-45	64	52	72	18.1	70
45	PC 46 XH BK	40	46	0.70	17.8	25	4	100	40-45	72	56	105	8.6	70
46	PC 46 XH N	40	46	0.70	17.8	25	4	100	40-45	72	56	105	8.6	70
47	PC 47 HR BK	43	47	0.59	15.0	25	8	200	Glutton®	71	57	72	15.9	70
48	PC 47 HR N	43	47	0.59	15.0	25	8	200	Glutton®	71	57	72	15.9	70
49	PC 47 XH BK	43	47	0.70	17.8	25	4	100	Glutton®	78	58	105	9.4	70
50	PC 47 XH N	43	47	0.70	17.8	25	4	100	Glutton®	78	58	105	9.4	70
51	PC 55 XH BK	41	52	0.70	17.8	25	4	100	55 Brute®	74	58	105	9.9	70
52	PC 55 XH N	41	52	0.70	17.8	25	4	100	55 Brute®	74	55	105	9.9	70
53	PC 58 MR BK	38	58	0.45	11.4	25	8	200	60	61	41	72	13.2	30
54	PC 58 MR N	38	58	0.45	11.4	25	8	200	60	61	41	72	13.2	30
55	PC 58 HR BK	38	58	0.59	15.0	25	8	200	60	71	57	56	17.3	70
56	PC 58 HR N	38	58	0.59	15.0	25	8	200	60	71	57	56	17.3	70
57	PC 58 XH BK	38	58	0.70	17.8	25	4	100	60	74	56	105	10.3	70
58	PC 58 XH N	38	58	0.70	17.8	25	4	100	60	74	56	105	10.3	70

LW Light waste • MR Medium refuse • HR Heavy refuse • XH Extra heavy refuse • N Natural with contact clarity • BK Black

	PRODUCT CODE	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	GAL CAP	DRY LOAD RATING (LBS)	WET LOAD RATING (LBS)	CASE/PALLET	NET WT/CS (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
1	PC 24 XP BK	24	24	0.85	21.6	25	20	500	7-10	90	70	72	16.3	70
2	PC 32 XP BK	24	32	0.85	21.6	25	20	500	12-16	91	81	56	21.8	70
3	PC 36 XP BK	30	36	0.90	22.9	25	8	200	20-30	73	63	105	13.0	70
4	PC 36 XP N	30	36	0.85	21.6	25	8	200	20-30	73	63	105	12.2	35
5	PC 39 XP BK	33	39	0.90	22.9	25	6	150	32-33	78	64	105	11.6	70
6	PC 39 XP N	33	39	0.85	21.6	25	6	150	32-33	78	64	105	10.9	35
7	PC 44 XP BK	36	47	0.90	22.9	25	4	100	44 Brute®	82	70	105	10.2	70
8	PC 44 XP N	36	47	0.85	21.6	25	4	100	44 Brute®	82	70	105	9.6	35
9	PC 46 XP BK	40	46	0.90	22.9	25	4	100	40-45	86	67	105	11.0	70
10	PC 46 XP N	40	46	0.85	21.6	25	4	100	40-45	86	67	105	10.4	35
11	PC 47 XP BK	43	47	0.90	22.9	25	4	100	Glutton®	94	70	105	12.1	70
12	PC 47 XP N	43	47	0.85	21.6	25	4	100	Glutton®	94	70	105	11.5	35
13	PC 55 XP BK	41	52	0.90	22.9	25	4	100	55 Brute®	95	71	105	12.8	70
14	PC 55 XP N	41	52	0.85	21.6	25	4	100	55 Brute®	95	71	105	12.1	35
15	PC 58 XP BK	38	58	0.90	22.9	25	4	100	60	94	70	105	13.2	70
16	PC 58 XP N	38	58	0.85	21.6	25	4	100	60	94	70	105	12.5	35
17	PC 36 XT BK	30	36	1.15	29.2	25	8	200	20-30	94	77	105	16.6	70
18	PC 36 XT N	30	36	1.10	27.9	25	8	200	20-30	94	77	105	15.8	35
19	PC 39 XT BK	33	39	1.15	29.2	25	6	150	32-33	99	76	105	14.8	70
20	PC 39 XT N	33	39	1.10	27.9	25	6	150	32-33	99	76	105	14.2	35
21	PC 44 XT BK	36	47	1.15	29.2	20	5	100	44 Brute®	100	78	105	13.0	70
22	PC 44 XT N	36	47	1.10	27.9	20	5	100	44 Brute®	100	78	105	12.4	35
23	PC 46 XT BK	40	46	1.15	29.2	20	5	100	40-45	98	79	105	14.1	70
24	PC 46 XT N	40	46	1.10	27.9	20	5	100	40-45	98	79	105	13.5	35
25	PC 47 XT BK	43	47	1.15	29.2	20	5	100	Glutton®	100	80	105	15.5	70
26	PC 47 XT N	43	47	1.10	27.9	20	5	100	Glutton®	100	80	105	14.8	35
27	PC 55 XT BK	41	52	1.15	29.2	20	5	100	55 Brute®	100	79	72	16.3	70
28	PC 55 XT N	41	52	1.10	27.9	20	5	100	55 Brute®	100	79	72	15.6	35
29	PC 58 XT BK	38	58	1.15	29.2	20	5	100	60	99	78	72	16.9	70
30	PC 58 XT N	38	58	1.10	27.9	20	5	100	60	99	78	72	16.2	35

XP Extra Heavy + • XT Extra Tough • N Natural with contact clarity • BK Black

HeRCules

Heavy Recycled Content Can Liners



100% EPA Comprehensive Procurement Guideline Compliant

	PRODUCT CODE	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	GAL CAP	DRY LOAD RATING (LBS)	WET LOAD RATING (LBS)	CASE/PALLET	NET WT/CS (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
1	PC 36 100 BK	30	36	0.90	22.9	20	10	200	20-30	95	81	105	13.0	91
2	PC 36 100 N	30	36	0.90	22.9	20	10	200	20-30	95	81	105	13.0	94
3	PC 39 100 BK	33	39	0.90	22.9	25	6	150	32-33	95	83	105	11.6	91
4	PC 39 100 N	33	39	0.90	22.9	25	6	150	32-33	95	83	105	11.6	94
5	PC 44 100 BK	36	47	0.90	22.9	20	5	100	44 Brute®	104	81	105	10.2	91
6	PC 44 100 N	36	47	0.90	22.9	20	5	100	44 Brute®	104	81	105	10.2	94
7	PC 46 100 BK	40	46	0.90	22.9	20	5	100	40-45	109	85	105	11.0	91
8	PC 46 100 N	40	46	0.90	22.9	20	5	100	40-45	109	85	105	11.0	94
9	PC 47 100 BK	43	47	0.90	22.9	20	5	100	Glutton®	109	85	105	12.1	91
10	PC 47 100 N	43	47	0.90	22.9	20	5	100	Glutton®	109	85	105	12.1	94
11	PC 58 100 BK	38	58	0.90	22.9	20	5	100	60	109	87	105	13.2	91
12	PC 58 100 N	38	58	0.90	22.9	20	5	100	60	109	87	105	13.2	94
13	PC 36 150 BK	30	36	1.35	34.3	20	10	200	20-30	109	81	56	19.4	91
14	PC 36 150 N	30	36	1.35	34.3	20	10	200	20-30	109	81	56	19.4	94
15	PC 39 150 BK	33	39	1.35	34.3	25	6	150	32-33	109	81	56	17.4	91
16	PC 39 150 N	33	39	1.35	34.3	25	6	150	32-33	109	81	56	17.4	94
17	PC 46 150 BK	40	46	1.35	34.3	20	5	100	40-45	118	83	72	16.6	91
18	PC 46 150 N	40	46	1.35	34.3	20	5	100	40-45	118	83	72	16.6	94
19	PC 47 150 BK	43	47	1.35	34.3	20	5	100	Glutton®	118	84	56	18.2	91
20	PC 47 150 N	43	47	1.35	34.3	20	5	100	Glutton®	118	84	56	18.2	94
21	PC 47 168 BK	43	47	1.50	38.1	25	4	100	Glutton®	119	87	56	20.2	91
22	PC 47 168 N	43	47	1.50	38.1	25	4	100	Glutton®	119	87	56	20.2	94
23	PC 58 150 BK	38	58	1.35	34.3	20	5	100	60	118	84	56	19.8	91
24	PC 58 150 N	38	58	1.35	34.3	20	5	100	60	118	84	56	19.8	94
25	PC 58 168 BK	38	58	1.50	38.1	25	4	100	60	119	89	56	22.0	91
26	PC 58 168 N	38	58	1.50	38.1	25	4	100	60	119	89	56	22.0	94
27	PC 36 200 BK	30	36	1.75	44.5	20	10	200	20-30	116	86	42	25.2	91
28	PC 36 200 N	30	36	1.75	44.5	20	10	200	20-30	116	86	42	25.2	94
29	PC 39 200 BK	33	39	1.75	44.5	25	6	150	32-33	118	86	42	22.5	91
30	PC 39 200 N	33	39	1.75	44.5	25	6	150	32-33	118	86	42	22.5	94
31	PC 46 200 BK	40	46	1.75	44.5	25	4	100	40-45	130	90	56	21.5	91
32	PC 46 200 N	40	46	1.75	44.5	25	4	100	40-45	130	90	56	21.5	94
33	PC 47 200 BK	43	47	1.75	44.5	25	4	100	Glutton®	131	93	56	23.6	91
34	PC 47 200 N	43	47	1.75	44.5	25	4	100	Glutton®	131	93	56	23.6	94
35	PC 58 200 BK	38	58	1.75	44.5	25	4	100	60	131	93	56	25.7	91
36	PC 58 200 N	38	58	1.75	44.5	25	4	100	60	131	93	56	25.7	94









N Natural with contact clarity • BK Black

EcoMax Select

Optimal Liner Sizes for the Most Common Capacity Cans



100% EPA Comprehensive Procurement Guideline Compliant

		PRODUCT CODE	WIDTH	LENGTH	GA (MIL)	BAGS/CASE	STRENGTH	RECOMMENDED USE
28 Qt Wastebasket 	1	PC 07 LW N	22	25	0.30	1000	L	paper trash; admin general use
	2	PC 07 LW BK	22	25	0.30	1000	L	paper trash; admin general use
	3	PC 07 XH N	22	25	0.45	500	XH	mixed trash; admin heavy contents
	4	PC 07 XH BK	22	25	0.45	500	XH	mixed trash; admin heavy contents
40 Qt Wastebasket 	1	PC 10 LW N	23	31	0.30	1000	L	paper trash; admin general use
	2	PC 10 LW BK	23	31	0.30	1000	L	paper trash; admin general use
	3	PC 10 XH N	23	31	0.45	500	XH	mixed trash w/sharps; outdoor use; X heavy contents
	4	PC 10 XH BK	23	31	0.45	500	XH	mixed trash w/sharps; outdoor use; X heavy contents
Slim Jim® 	1	PC SJ HR N	28	45	0.58	250	H	mixed trash; admin heavy contents
	2	PC SJ HR BK	28	45	0.58	250	H	mixed trash; admin heavy contents
	3	PC SJ XH N	28	45	0.70	250	XH	mixed trash w/sharps; outdoor use; X heavy contents
	4	PC SJ XH BK	28	45	0.70	250	XH	mixed trash w/sharps; outdoor use; X heavy contents
20 Brute® 	1	PC 36 LW N	30	36	0.30	500	L	paper trash; admin general use
	2	PC 36 LW BK	30	36	0.30	500	L	paper trash; admin general use
	3	PC 36 MR N	30	36	0.45	250	M	paper trash; admin general use
	4	PC 36 MR BK	30	36	0.45	250	M	paper trash; admin general use
	5	PC 36 HR N	30	36	0.59	250	H	mixed trash; admin heavy contents
	6	PC 36 HR BK	30	36	0.59	250	H	mixed trash; admin heavy contents
	7	PC 36 XH N	30	36	0.70	200	XH	mixed trash w/sharps; outdoor use; X heavy contents
	8	PC 36 XH BK	30	36	0.70	200	XH	mixed trash w/sharps; outdoor use; X heavy contents
32 Brute® 	1	PC 39 MR N	33	39	0.45	250	M	paper trash; admin general use
	2	PC 39 MR BK	33	39	0.45	250	M	paper trash; admin general use
	3	PC 39 HR N	33	39	0.59	250	H	mixed trash; admin heavy contents
	4	PC 39 HR BK	33	39	0.59	250	H	mixed trash; admin heavy contents
	5	PC 39 XH N	33	39	0.70	150	XH	mixed trash w/sharps; outdoor use; X heavy contents
	6	PC 39 XH BK	33	39	0.70	150	XH	mixed trash w/sharps; outdoor use; X heavy contents
44 Brute® 	1	PC 44 MR N	36	47	0.45	250	M	mixed trash; admin heavy contents
	2	PC 44 MR BK	36	47	0.45	250	M	mixed trash; admin heavy contents
	3	PC 44 HR N	36	47	0.59	250	H	mixed trash; admin heavy contents
	4	PC 44 HR BK	36	47	0.59	250	H	mixed trash; admin heavy contents
	5	PC 44 XH N	36	47	0.70	200	XH	mixed trash w/sharps; outdoor use; X heavy contents
	6	PC 44 XH BK	36	47	0.70	200	XH	mixed trash w/sharps; outdoor use; X heavy contents
Glutton® 	1	PC 47 HR N	43	47	0.59	200	H	mixed trash admin heavy contents
	2	PC 47 HR BK	43	47	0.59	200	H	mixed trash admin heavy contents
	3	PC 47 XH N	43	47	0.70	100	XH	mixed trash w/sharps; outdoor use; X heavy contents
	4	PC 47 XH BK	43	47	0.70	100	XH	mixed trash w/sharps; outdoor use; X heavy contents
55 Brute® 	1	PC 55 XH N	41	52	0.70	100	XH	mixed trash w/sharps; outdoor use; X heavy contents
	2	PC 55 XH BK	41	52	0.70	100	XH	mixed trash w/sharps; outdoor use; X heavy contents

Colored Bags

Environmentally Preferred
Specialty Can Liners



100% EPA Comprehensive Procurement Guideline Compliant

	PRODUCT CODE				WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/CASE	STRENGTH	GAL CAP	DRY LOAD RATING (LBS)	WET LOAD RATING (LBS)	CASE/PALLET	NET WT/CS (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
1	PC	10	XH	BU	23	31	0.45	11.4	500	XH	12-16	45	34	105	10.7	30
2	PC	24	MR	R	24	24	0.45	11.4	500	M	7-10	41	31	105	8.6	30
3	PC	SJ	XH	BU	28	45	0.70	17.8	250	XH	Slim Jim®	64	53	72	14.7	70
4	PC	SJ	XH	GN	28	45	0.70	17.8	250	XH	Slim Jim®	64	53	72	14.7	70
5	PC	32	XH	W	24	32	0.75	19.1	250	XH	12-16	64	53	105	9.6	56
6	PC	36	XH	W	30	36	0.70	17.8	200	XH	20-30	73	53	105	10.1	91
7	PC	36	XH	R	30	36	0.70	17.8	200	XH	20-30	80	66	105	10.1	30
8	PC	39	XH	W	33	39	0.70	17.8	150	XH	32-33	73	54	105	9.0	91
9	PC	44	XH	GN	36	47	0.70	17.8	200	XH	44 Brute®	73	55	105	15.8	70
10	PC	46	XH	BU	40	46	0.70	17.8	100	XH	40-45	73	55	105	8.6	70
11	PC	46	XH	W	40	46	0.70	17.8	100	XH	40-45	72	56	105	8.6	91
12	PC	46	XP	R	40	46	0.90	22.9	100	XP	40-45	95	74	105	11.0	30
13	PC	47	180	GN	43	47	1.60	40.6	100	SH	Glutton®	117		56	21.6	91
14	PC	58	XH	W	38	58	0.70	17.8	100	XH	60	74	56	105	10.3	91

*Other sizes, gauges and colors are available upon request



LW Light waste • MR Medium refuse • HR Heavy refuse • XH Extra heavy refuse • BU Blue • GN Green • R Red • W White