

**BZK**  
 Wrapper  
 50mm  
 x 60mm

 **FIRST AID ONLY**

# BZK Antiseptic Towelette

**1 Towelette**

Manufactured for  
 © 2017 Acme United Corporation  
 55 Walls Dr., Fairfield, CT 06824 [www.FirstAidOnly.com](http://www.FirstAidOnly.com)  
 Made in China

<b>LOT</b>	EXP
<b>Inactive ingredients</b> Distilled water	
15°-30°C (59°-86°F)	
<b>Other information</b> Store at room temperature:	
a washcloth	
<b>Directions</b> Tear open packet, unfold and use as	
help or contact a Poison Control Center right away.	
Keep out of reach of children. If swallowed, get medical	
consult a doctor if the condition persists or gets worse.	
Stop use if irritation, redness or other symptoms develop.	
Do not use in the eyes or apply over large areas of the body.	
<b>Warnings</b> For external use only.	
<b>Uses</b> For handwashing to decrease bacteria on the skin	
Benzalkonium Chloride, 0.13%..... Antiseptic	
<b>Active ingredients</b> ..... <b>Purpose</b>	
<b>Drug Facts</b>	

# Safety Data Sheet

## Arctic Gel 1010

Revision date : 2015/02/17  
Version: 5.0

Page: 1/9  
(30562100/SDS\_GEN\_US/EN)

---

### 1. Identification

#### Product identifier used on the label

## Arctic Gel 1010

#### Recommended use of the chemical and restriction on use

Recommended use\*: Absorbent

Suitable for use in industrial sector: chemical industry

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Chemical family: polyacrylic acid, sodium salt, crosslinked

---

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Combustible Dust                      Combustible Dust (1)                      Combustible Dust

#### Label elements

Signal Word:  
Warning

Hazard Statement:

# Safety Data Sheet

## Arctic Gel 1010

Revision date : 2015/02/17  
Version: 5.0

Page: 2/9  
(30562100/SDS\_GEN\_US/EN)

May form combustible dust concentration in air.

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

### Emergency overview

CAUTION:  
MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.  
INGESTION MAY CAUSE GASTRIC DISTURBANCES.

## 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

This product does not contain any components classified as hazardous under the referenced regulation.

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
Trade Secret	>= 95.0 %	Proprietary acrylic polymer

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Assist in breathing if necessary.

#### If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Seek medical attention.

#### If swallowed:

Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

### Most important symptoms and effects, both acute and delayed

Symptoms: No significant symptoms are expected due to the non-classification of the product.

### Indication of any immediate medical attention and special treatment needed

# Safety Data Sheet

## Arctic Gel 1010

Revision date : 2015/02/17  
Version: 5.0

Page: 3/9  
(30562100/SDS\_GEN\_US/EN)

### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
carbon dioxide, water jet

Additional information:  
Avoid whirling up the material/product because of the danger of dust explosion.

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
Burning produces harmful and toxic fumes.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

---

## 6. Accidental release measures

### Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### Personal precautions, protective equipment and emergency procedures

Breathing protection required. Avoid dust formation.

### Environmental precautions

Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Nonsparking tools should be used.

---

## 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

# Safety Data Sheet

## Arctic Gel 1010

Revision date : 2015/02/17  
Version: 5.0

Page: 4/9  
(30562100/SDS\_GEN\_US/EN)

Breathing must be protected when large quantities are decanted without local exhaust ventilation. Avoid the formation and deposition of dust.

### Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container dry because product takes up the humidity of air.

Keep container tightly closed and dry; store in a cool place.

The packed product is not damaged by low temperatures or by frost.

The packed product will not be damaged by high temperatures.

---

## 8. Exposure Controls/Personal Protection

### Advice on system design:

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

### Personal protective equipment

#### Respiratory protection:

Breathing protection if dusts are formed.

#### Hand protection:

Chemical resistant protective gloves

#### Eye protection:

Tightly fitting safety goggles (chemical goggles).

#### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

---

## 9. Physical and Chemical Properties

Form:	granules	
Odour:	odourless	
Colour:	white	
pH value:	approx. 6.0	
glass transition temperature:	approx. 140 °C	(approx. 101.3 hPa) The substance / product decomposes. The product has not been tested.

# Safety Data Sheet

## Arctic Gel 1010

Revision date : 2015/02/17  
Version: 5.0

Page: 5/9  
(30562100/SDS\_GEN\_US/EN)

Bulk density:	approx. 700 kg/m <sup>3</sup>
Thermal decomposition:	No decomposition if used as directed.
Solubility in water:	insoluble, only capable of swelling

### 10. Stability and Reactivity

#### Reactivity

Corrosion to metals:  
No corrosive effect on metal.

Minimum ignition energy:

The product is capable of dust explosion.

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions.

The product is stable if stored and handled as prescribed/indicated.

#### Conditions to avoid

Avoid humidity.

#### Incompatible materials

water

#### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: carbon monoxide, carbon dioxide, hydrocarbons

Thermal decomposition:

No decomposition if used as directed.

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

##### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

# Safety Data Sheet

## Arctic Gel 1010

Revision date : 2015/02/17  
Version: 5.0

Page: 6/9  
(30562100/SDS\_GEN\_US/EN)

### Dermal

Type of value: LD50  
Species: rat  
Value: > 2,000 mg/kg

### Irritation / corrosion

Assessment of irritating effects: Ingestion may cause irritation of the gastrointestinal tract. Contact with powders or dusts may irritate the eyes, skin and respiratory tract.

### Skin

Species: rabbit  
Result: non-irritant  
Method: OECD Guideline 404

### Eye

Species: rabbit  
Result: non-irritant  
Method: OECD Guideline 405

### Sensitization

No sensitizing effect.

## Chronic Toxicity/Effects

### Carcinogenicity

*Information on: Superabsorber sodium salt*

*Assessment of carcinogenicity: A chronic (2-year) lifetime inhalation study in rats with respirable superabsorber polymer dust (micronized to < 10 µm diameter) resulted in a non-specific inflammatory response in the lungs followed by tumor development in some rats in the highest chronic exposure level of 0.8 mg/m<sup>3</sup>. In the absence of chronic inflammation, tumours are not expected.*

-----

### Other Information

The statement was derived from products of similar composition.

## Symptoms of Exposure

No significant symptoms are expected due to the non-classification of the product.

---

## 12. Ecological Information

### Toxicity

#### Toxicity to fish

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)

#### Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

#### Aquatic plants

EC50 (72 h) > 100 mg/l, Desmodium subspicatus (OECD Guideline 201)  
Nominal concentration.

# Safety Data Sheet

## Arctic Gel 1010

Revision date : 2015/02/17  
Version: 5.0

Page: 7/9  
(30562100/SDS\_GEN\_US/EN)

---

### Soil living organisms

Toxicity to soil dwelling organisms:  
LC50 > 1,000 mg/kg, Eisenia foetida (OECD Guideline 207)

### **Microorganisms/Effect on activated sludge**

#### Toxicity to microorganisms

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

### **Persistence and degradability**

#### Assessment biodegradation and elimination (H2O)

The product is not very soluble in water and can thus be removed from water mechanically in suitable effluent treatment plants.

### **Mobility in soil**

#### Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.  
Adsorption to solid soil phase is not expected.

### **Additional information**

The product contains: <= 20 (W/W) PPM total amount of heavy metal as Pb

Add. remarks environm. fate & pathway:

Due to the consistency of the product, dispersion into the environment is impossible. Therefore no negative effects on the environment may be anticipated based on the present state of knowledge.

Other ecotoxicological advice:

Do not release untreated into natural waters. The ecotoxic effect of the product has not been tested. The information on this was derived from products of similar structure or composition.

---

## **13. Disposal considerations**

### **Waste disposal of substance:**

Dispose of in accordance with local authority regulations. Incinerate in a licensed facility. Do not incinerate closed containers. Do not discharge into drains/surface waters/groundwater.

### **Container disposal:**

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

---

## **14. Transport Information**

### **Land transport**

USDOT

Not classified as a dangerous good under transport regulations

### **Sea transport**

IMDG



# Safety Data Sheet

## Arctic Gel 1010

Revision date : 2015/02/17  
Version: 5.0

Page: 8/9  
(30562100/SDS\_GEN\_US/EN)

Not classified as a dangerous good under transport regulations

**Air transport**  
IATA/ICAO

Not classified as a dangerous good under transport regulations

---

## 15. Regulatory Information

### Federal Regulations

**Registration status:**

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Fire (Combustible Dust);

**NFPA Hazard codes:**

Health : 1 Fire: 1 Reactivity: 0 Special:

**HMIS III rating**

Health: 1 Flammability: 1 Physical hazard: 0

---

## 16. Other Information

**SDS Prepared by:**

BASF NA Product Regulations  
SDS Prepared on: 2015/02/17

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO

# Safety Data Sheet

## Arctic Gel 1010

Revision date : 2015/02/17  
Version: 5.0

Page: 9/9  
(30562100/SDS\_GEN\_US/EN)

---

OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION  
GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET

## SAFETY DATA SHEET

**Section 1. Product And Company Identification****Product Name:** CaviCide™**Product Use:** Hard surface cleaner and disinfectant**Manufacturer:** METREX® RESEARCH  
28210 Wick Road  
Romulus, Michigan 48174  
U.S.A.**Information Phone Number:** 1-800-841-1428 (Customer Service)**Chemical Emergency Phone Number (Chemical Spills, Leaks, Fire, Exposure or Accident only):**  
CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)**SDS Date of Preparation/Revision:** 2/6/20**Section 2. Hazards Identification****GHS / HAZCOM 2012 Classification:**

Flammable Liquid Category 3

Eye Irritation Category 2B

**Warning!****Hazard Phrases**

Flammable liquid and vapor.

Causes eye irritation.

**Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Use explosion-proof electrical, ventilating and light equipment.

Take action to prevent static discharge.

Wash thoroughly after handling.

Wear eye protection.

**Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical attention.

In case of fire: Use water spray or fog, alcohol-resistant foam, carbon dioxide or dry chemical to extinguish.



**Storage**

Store in a well ventilated place. Keep cool.

**Disposal**

Dispose of contents and container in accordance with local and national regulations.

**Other hazards:** None

**Section 3. Composition/Information on Ingredients**

Component	CAS No.	Amount
Water	7732-18-5	70-80%
Isopropanol	67-63-0	17.2%
Ethylene Glycol Monobutyl Ether (2-Butoxyethanol)	111-76-2	1-5%
Diisobutylphenoxyethoxyethyl dimethylbenzyl ammonium chloride	121-54-0	0.28%

**Section 4. First Aid Measures**

**Inhalation:** Move to fresh air if effects occur and seek medical attention if effects persist.

**Skin Contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

**Eye Contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**Ingestion:** If swallowed, get medical advice by calling a Poison Control Center or hospital emergency room. If advice is not available, take victim and product container to the nearest emergency treatment center or hospital. Do not attempt to give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed:** Causes mild to moderate eye irritation. Prolonged skin contact may cause irritation. Inhalation of concentrated vapors may cause dizziness and drowsiness. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Indication of any immediate medical attention and special treatment needed:** Immediate medical attention is not required.

**Section 5. Fire Fighting Measures**

**Suitable (and Unsuitable) Extinguishing Media:** Use water spray or fog, alcohol-resistant foam, carbon dioxide or dry chemical. Cool fire exposed containers with water.

**Specific Hazards Arising from the Chemical:** Flammable liquid and vapor. May form explosive mixtures in air at temperatures at or above the flashpoint. Flammable vapors may collect in confined areas. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flashback. Fire exposed containers may rupture explosively.



**Special Protective Equipment and Precautions for Fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

**Section 6: Accidental Release Measures**

**Personal precautions, Protective equipment, and Emergency procedures:** Avoid contact with eyes. Avoid prolonged contact with skin and clothing. Wear appropriate protective clothing as described in Section 8. Ventilate the area.

**Environmental Precautions:** Avoid release to the environment. Report spill as required by local and federal regulations.

**Methods and Materials for Containment and Cleaning up:** Eliminate all ignition sources. Ventilate area. Use explosion-proof equipment if large amounts are released. Stop leak if it is safe to do so and move containers from the spill area. Collect material with an inert absorbent material and place in appropriate, labeled container for disposal.

**Section 7. Handling and Storage**

**Precautions for Safe Handling:** Avoid contact with eyes, skin and clothing. Wear appropriate eye protection when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Flammable liquid and vapor. Keep away from heat, sparks, open flames and all other sources of ignition. Do not smoke in storage or use areas. Keep containers closed when not in use. Do not reuse empty containers.

Empty containers retain product residues and may be hazardous. Do not flame cut, drill, weld, etc. on or near empty containers, even empty.

**Conditions for Safe Storage, Including any Incompatibilities:** Store in a cool, well ventilated area away from heat, oxidizers and all sources of ignition. Do not contaminate water, food or feed by storage.

**Section 8. Exposure Controls / Personal Protection**

**Exposure Limits**

Chemical	Exposure Limit
Water	None Established
Isopropanol	200 ppm TWA, 400 ppm STEL ACGIH TLV 400 ppm TWA OSHA PEL
Ethylene Glycol Monobutyl Ether (2-Butoxyethanol)	20 ppm TWA ACGIH TLV 50 ppm TWA OSHA PEL (skin)
Diisobutylphenoxyethoxyethyl dimethyl benzylammonium chloride	None Established

**Appropriate Engineering Controls:** General ventilation should be adequate for normal use. For operations where the exposure limits may be exceeded, mechanical ventilation such as local exhaust

may be needed to minimize exposure. Use explosion proof electrical equipment and wiring where required.

**Respiratory Protection:** None under normal use conditions with adequate ventilation. For operations where the occupational exposure limits are exceeded, an approved respirator with an organic vapor cartridge or supplied air respirator is recommended. Equipment selection depends on contaminant type and concentration. Select in accordance with applicable regulations and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

**Hand protection:** Impervious gloves such as butyl rubber or nitrile are recommended for operations which may result in prolonged or repeated skin contact.

**Eye Protection:** Splash proof goggles, face shield, or safety glasses are recommended if splashing is possible.

**Skin Protection:** Wear protective clothing if needed to avoid prolonged/ repeated skin contact. Contaminated clothing should be removed and laundered before re-use.

**Hygiene measures:** Suitable eye wash and washing facilities should be available in the work area.

**Other:** None required under normal conditions of use.

<b>Section 9. Physical and Chemical Properties</b>
--

<b>Appearance:</b>	Clear liquid.	<b>Odor:</b>	Alcohol
<b>Odor Threshold:</b>	0.001 ppm (ethylene glycol monobutyl ether)	<b>pH:</b>	11.0-12.49
<b>Melting/Freezing Point:</b>	Not determined	<b>Boiling Point/Range:</b>	Not determined
<b>Flash Point:</b>	28.3°C (83°F)	<b>Evaporation Rate:</b>	Not determined
<b>Flammability: (Solid, Gas)</b>	Not applicable	<b>Flammability Limits:</b>	LEL: 2% UEL: 12.7%
<b>Vapor Pressure:</b>	43.3 mmHg @ 20°C (isopropanol)	<b>Vapor Density:</b>	2.1 (isopropanol)
<b>Relative Density:</b>	0.972	<b>Solubilities:</b>	Completely soluble in water
<b>Partition Coefficient: (N-Octanol/Water)</b>	Not determined	<b>Autoignition Temperature:</b>	Not determined
<b>Decomposition Temperature:</b>	Not determined	<b>Viscosity:</b>	Not determined

<b>Section 10. Stability and Reactivity</b>
---

**Reactivity:** Not reactive at ambient temperatures.

**Chemical Stability:** Stable.

**Possibility of Hazardous Reactions:** Not reactive.

**Conditions to avoid:** Heat, sparks, flames and all other sources of ignition.

**Incompatible Materials:** Strong oxidizing agents, acids and strong reducing agents.

**Hazardous decomposition products:** Thermal decomposition will produce carbon monoxide, carbon dioxide, nitrogen oxides, amines, chlorine and hydrogen chloride.

## Section 11. Toxicological Information

### Potential Health Effects:

**Inhalation:** May cause irritation of the nose, throat and upper respiratory tract. High vapor concentrations may produce nausea, vomiting, headache, dizziness, drowsiness, weakness, fatigue, narcosis and possible unconsciousness. Not acutely toxic in rats.

**Skin Contact:** Prolonged or repeated exposure may cause mild irritation. No signs of toxicity or irritation were observed in a dermal toxicity study in rabbits. Non-irritating in a primary irritation study with rabbits. Negative in a skin sensitization study with guinea pigs.

**Eye Contact:** May cause eye irritation. Moderate irritant in an eye irritation study with rabbits. Effects reversed in 7 days.

**Ingestion:** Ingestion may cause gastrointestinal disturbances and central nervous system effects such as headache, dizziness, drowsiness and nausea. Not acutely toxic in rats.

**Chronic Hazards:** None known.

**Medical Conditions Aggravated By Exposure:** None currently known.

**Carcinogen:** None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

### Acute Toxicity Values for CaviCide:

LD50 Oral Rat >5000 mg/kg, LD50 Dermal Rat >2000 mg/kg, LC50 inhalation LC50 rat >2.08 mg/L

## Section 12. Ecological Information

This product is classified as Acute Aquatic Toxicity Category 3 based on the GHS criteria for aquatic toxicity. Harmful to aquatic life.

**Toxicity:** No toxicity data available for product.

Isopropanol: LC50 fathead minnows 11,130 mg/L/48 hr; LC50 brown shrimp 1400 mg/L/48 hr  
Diisobutylphenoxyethoxyethyl dimethylbenzylammonium chloride: LC50 pimephales promelas 1.6 mg/L/96 hr, LC50 lepomis macrochirus 1.4 mg/L/96 hr.

**Persistence and degradability:** Isopropanol and 2-butoxyethanol are readily biodegradable in screening tests. Diisobutylphenoxyethoxyethyl dimethylbenzylammonium chloride is not readily biodegradable.

**Bioaccumulative Potential:** Isopropanol has an estimated BCF of 3 suggesting that the potential for bioaccumulation is low.

**Mobility in Soil:** Isopropanol is expected to have very high mobility in soil.

**Other Adverse Effects:** None known.

## Section 13. Disposal Considerations

**Solution Disposal:** Discharge residual and unused solutions in accordance with Federal, State, and local



regulations. For used solution, the waste solution must be characterized by the generator and disposed of in accordance with Federal, State, and local regulations.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If recycling is not available, discard in accordance with hospital policy.

**Section 14. Transport Information**

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
<b>US DOT</b>	None	Not Regulated per alcohol exception (49CFR 173.150(e))	None	None	None
<b>EU ADR/RID</b>	UN1987	Alcohols, n.o.s. (Isopropanol)	3	III	None
<b>IMDG</b>	UN1987	Alcohols, n.o.s. (Isopropanol)	3	III	None
<b>IATA/ICAO</b>	UN1987	Alcohols, n.o.s. (Isopropanol)	3	III	None

**Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):** Not applicable – product is transported only in packaged form.

**Special precautions:** None identified

**Section 15. Regulatory Information**

**U.S. Federal Regulations:**

**EPA SARA 311/312 Hazard Classification:** Refer to Section 2 for OSHA Hazard Classification

**EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372):**

Ethylene Glycol Monobutyl Ether (Glycol Ether)	111-76-2	1-5%
---	----------	------

**Protection of Stratospheric Ozone:** This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

**CERCLA SECTION 103:** This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**US EPA Registered Pesticide:** This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required





on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

**CAUTION!**

Harmful if absorbed through the skin.  
Causes moderate eye irritation.  
Keep out of reach of children.

**International Inventories**

**US EPA TSCA Inventory:** All of the components of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.

**Canadian Environmental Protection Act:** All of the components in this product are listed on the Domestic Substances List (DSL) or exempt.

**Australia:** All of the components in this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempt.

**China:** All of the components in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC) or exempt.

**European Union:** All the components in this product are listed on the EINECS inventory or exempt.

**Japan:** All of the components in this product are listed on the Japanese Existing and New Chemical Substances (ENCS) inventory or exempt.

**Korea:** All of the components in this product are listed on the Korean Existing Chemicals List (KECL) or exempt.

**Philippines:** All of the components of this product are listed on the Philippines Inventory of Chemicals and Chemical Substances (PICCS) or exempt.

<b>Section 16. Other Information</b>
--------------------------------------

**Effective Date:** February 6, 2020

**Supersedes Date:** April 30, 2019

**Revision Summary:** Section 2 – Warning symbol removed.

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, METREX® RESEARCH makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.