

# SAFETY DATA SHEET

## 1. Identification

Product identifier	High-Gloss Floor Finish		
Other means of identification			
Product code	REN044/REN045		
Recommended use	Floor Finish		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Manufacturer			
Company name	HD Supply		
Address	3400 Cumberland Blvd. SE Atlanta, GA 30339 United States		
Telephone	1-800-431-3000	(Chat: hdsupplysolutions.com)	
E-mail	customercare@hdsupply.com		
Emergency phone number	Chemtrec	1-800-424-9300	

## 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.

### Label elements

Hazard symbol	None.
Signal word	Warning
Hazard statement	The mixture does not meet the criteria for classification. May cause mild eye and skin irritation.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Take off contaminated clothing and wash it before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

**Supplemental information** 15.34% of the mixture consists of component(s) of unknown acute oral toxicity. 16.67% of the mixture consists of component(s) of unknown acute dermal toxicity. 20.46% of the mixture consists of component(s) of unknown acute inhalation toxicity. 19.13% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 19.13% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-(2-ethoxyethoxy)ethanol		111-90-0	3 - < 5
tris(2-butoxyethyl) phosphate		78-51-3	1 - < 3
ethane-1,2-diol		107-21-1	< 0.3
azanium;hydroxide		1336-21-6	< 0.2
propan-2-ol		67-63-0	< 0.2
DIPROPYLENE GLYCOL MONOMETHYL ETHER		34590-94-8	< 0.1
Other components below reportable levels			90 - 100

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	Direct contact with eyes may cause temporary irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Treat symptomatically.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	<p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid prolonged exposure. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

##### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

##### US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS 34590-94-8)	PEL	600 mg/m <sup>3</sup>
propan-2-ol (CAS 67-63-0)	PEL	100 ppm 980 mg/m <sup>3</sup> 400 ppm

**US. ACGIH Threshold Limit Values (TLV)**

Components	Type	Value	Form
DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS 34590-94-8)	TWA	50 ppm	
ethane-1,2-diol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
propan-2-ol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

**NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended**

Components	Type	Value
azanium;hydroxide (CAS 1336-21-6)	IDLH	15 %
		300 ppm
DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS 34590-94-8)	IDLH	1.1 %
		600 ppm
propan-2-ol (CAS 67-63-0)	IDLH	2 %
		2000 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)**

Components	Type	Value
DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS 34590-94-8)	STEL	900 mg/m3
		150 ppm
	TWA	600 mg/m3
		100 ppm
propan-2-ol (CAS 67-63-0)	STEL	1225 mg/m3
		500 ppm
	TWA	980 mg/m3
		400 ppm

**US. OARS. Workplace Environmental Exposure Level (WEEL) Guide**

Components	Type	Value
2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)	TWA	140 mg/m3
		25 ppm

**Biological limit values**

**ACGIH Biological Exposure Indices (BEI)**

Components	Value	Determinant	Specimen	Sampling Time
propan-2-ol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

\* - For sampling details, please see the source document.

**Exposure guidelines**

**US - California OELs: Skin designation**

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS 34590-94-8) Can be absorbed through the skin.

**US - Tennessee OELs: Skin designation**

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS 34590-94-8) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation**

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS 34590-94-8) Can be absorbed through the skin.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**DIPROPYLENE GLYCOL MONOMETHYL ETHER  
(CAS 34590-94-8)

Can be absorbed through the skin.

<b>Appropriate engineering controls</b>	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Applicable for industrial settings only. Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Applicable for industrial settings only. Wear appropriate chemical resistant gloves.
<b>Other</b>	Applicable for industrial settings only.
<b>Respiratory protection</b>	Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties**

<b>Appearance</b>	Liquid.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid. Emulsion
<b>Color</b>	Off-white.
<b>Odor</b>	Matches to Standard
<b>Odor threshold</b>	Not available.
<b>pH</b>	9
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	212 °F (100 °C) 211.95 °F (99.97 °C) estimated
<b>Flash point</b>	>201.2 °F (>94.0 °C)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	-0.01 hPa estimated
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Density</b>	8.55 lbs/gal estimated
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.
<b>Percent volatile</b>	82.26 % estimated
<b>Pounds per gallon</b>	8.55 lb/gal
<b>Specific gravity</b>	1.03 estimated
<b>VOC</b>	0.38 % estimated

**10. Stability and reactivity**

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

**11. Toxicological information****Information on likely routes of exposure**

<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics** Direct contact with eyes may cause temporary irritation.

**Information on toxicological effects**

**Acute toxicity** Not known.

Components	Species	Test Results
------------	---------	--------------

2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)

**Acute****Dermal**

LD50	Rat	6000 mg/kg
------	-----	------------

**Oral**

LD50	Rat	1920 mg/kg
------	-----	------------

azanium;hydroxide (CAS 1336-21-6)

**Acute****Inhalation**

LC50	Rabbit	7050 mg/m <sup>3</sup> , 1 Hours
------	--------	----------------------------------

**Oral**

LD50	Rat	350 mg/kg
------	-----	-----------

DIPROPYLENE GLYCOL MONOMETHYL ETHER (CAS 34590-94-8)

**Acute****Dermal**

LD50	Rabbit	9.5 g/kg
------	--------	----------

**Oral**

LD50	Rat	5.35 g/kg
------	-----	-----------

ethane-1,2-diol (CAS 107-21-1)

**Acute****Dermal**

LD50	Rabbit	9530 mg/kg
------	--------	------------

propan-2-ol (CAS 67-63-0)

**Acute****Dermal**

LD50	Rabbit	12800 mg/kg
------	--------	-------------

**Inhalation**

LC50	Rat	51.05 mg/l, 8 Hours
------	-----	---------------------

Components	Species	Test Results
<b>Oral</b>		
LD50	Rat	4710 mg/kg
tris(2-butoxyethyl) phosphate (CAS 78-51-3)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	3000 mg/kg
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	Not classifiable as to carcinogenicity to humans.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
Not listed.		
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)</b>		
Not listed.		
<b>US. National Toxicology Program (NTP) Report on Carcinogens</b>		
Not listed.		
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.	
<b>Specific target organ toxicity - single exposure</b>	Not classified.	
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.	
<b>Aspiration hazard</b>	Not an aspiration hazard.	
<b>Chronic effects</b>	Prolonged inhalation may be harmful.	

## 12. Ecological information

<b>Ecotoxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
<b>Product</b>	<b>Species</b>	<b>Test Results</b>	
High-Gloss Floor Finish			
<b>Aquatic</b>			
Fish	LC50	Fish	713.6149 mg/l, 96 hours
<b>Persistence and degradability</b>	No data is available on the degradability of this product.		
<b>Bioaccumulative potential</b>			
<b>Partition coefficient n-octanol / water (log Kow)</b>			
2-(2-ethoxyethoxy)ethanol			-0.54
azanium;hydroxide			-2.66
ethane-1,2-diol			-1.36
propan-2-ol			0.05
tris(2-butoxyethyl) phosphate			3.75
<b>Mobility in soil</b>	No data available.		
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

<b>14. Transport information</b>
----------------------------------

**DOT**

Not regulated as dangerous goods.

**IATA**

Not regulated as dangerous goods.

**IMDG**

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

<b>15. Regulatory information</b>
-----------------------------------

**US federal regulations**

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are listed or exempted from listing on the U.S. EPA TSCA Inventory List.

**Toxic Substances Control Act (TSCA)****TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)	Listed.
azanium;hydroxide (CAS 1336-21-6)	Listed.
ethane-1,2-diol (CAS 107-21-1)	Listed.
propan-2-ol (CAS 67-63-0)	Listed.
tris(2-butoxyethyl) phosphate (CAS 78-51-3)	Listed.

**SARA 304 Emergency release notification**

Ammonia; Ammonia (anhydrous) (CAS 1336-21-6) 100 LBS

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SARA 302 Extremely hazardous substance**

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
azanium;hydroxide	1336-21-6	100	500		

**SARA 311/312 Hazardous chemical** No (Exempt)

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)  
ethane-1,2-diol (CAS 107-21-1)  
tris(2-butoxyethyl) phosphate (CAS 78-51-3)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

azanium;hydroxide (CAS 1336-21-6)

**Safe Drinking Water Act (SDWA)** Contains component(s) regulated under the Safe Drinking Water Act.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

propan-2-ol (CAS 67-63-0) Low priority

**US state regulations**

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)  
azanium;hydroxide (CAS 1336-21-6)

ethane-1,2-diol (CAS 107-21-1)  
propan-2-ol (CAS 67-63-0)  
tris(2-butoxyethyl) phosphate (CAS 78-51-3)

### California Proposition 65



**WARNING:** This product can expose you to ethane-1,2-diol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### California Proposition 65 - CRT: Listed date/Developmental toxin

ethane-1,2-diol (CAS 107-21-1)

Listed: June 19, 2015

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 07-25-2023

**Revision date** 12-15-2023

**Version #** 02

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Revision information** Composition / Information on Ingredients: Disclosure Overrides  
Physical & Chemical Properties: Multiple Properties  
Toxicological Information: Toxicological Data  
Ecological Information: Ecotoxicity  
GHS: Classification