


UW1 UNIVERSAL WRENCH

Handy, skate key type universal wrench. Ranges in sizes from 1/4", 5/16", 11/32", and 3/8".

Order No. UW1



HK7 HEX KEY WRENCH SET

This high quality set consists of seven 12" long hex wrenches in the following sizes: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32" and 1/4". All wrenches are made from industrial grade, heat treated alloy steel and are supplied in a durable clear vinyl hanging type case.


Order No. HK7



HVT2 SAFE-T-TESTER SCREWDRIVER

Glow light handle indicates power. Instantly tests circuit breakers, fuses, extension cords, thermostats, solenoids, receptacles, etc. Tests 110-220 VAC. Overall length 5 3/4".

Order No. HVT2



JS1 JEWELER'S SCREWDRIVER SET

Set of six assorted small-sized, swivel type screwdrivers for small scale jobs.

Order No. JS1



6' N 1 SCREWDRIVER SET

- Chrome Vanadium Bits: 3" long double ended Phillips #1 and Phillips #2
3" long double ended Flat 3/16" and Flat 1/4"
- 4 1/2" long chrome plated tube with 1/4" Hex and 5/16" Hex on either side. Can be used as nut drivers.
- Two Color Rubberized Handle: Develops up to 2 times the turning power of conventional drivers and ensures a non-slip hold.

Order No. S6N1



WIN LINE 100 - HVAC POCKET CALCULATOR

FOR ALL OF THE MOST POPULAR REFRIGERANTS!

- Converts pressure to temperature, and temperature to pressure
- Clocks BTU per hour input of natural gas through a gas meter
- Determines percentage of relative humidity
- Fahrenheit to Celcius, and Celcius to Fahrenheit conversion
- English to Metric conversion
- For use with refrigerants R11, R12, R22, R500, R502, R717 only

Order No. WIN100



WG1 WATER GUARD

The WG1 Water Guard is an immediate warning. A loud audible alarm sounds when water is detected. Place under sinks, around sump-pumps and water heaters.

- Uses 9V battery

Order No. WG1



TC1 MINI-SIZE TUBE CUTTER

A small compact cutter that provides maximum capacity in a minimum of space. Easily cuts tubes from 1/8" thru 5/8" O.D. capacity. Requires only 1 5/16" clearance space. (Replacement cutting wheels available: Part No. TC1W)



TC2 TUBE CUTTER HEAVY DUTY

A heavy duty roller type cutter that makes clean cuts in hard or soft copper, aluminum, brass, thin wall steel and stainless steel. Rollers have a flared cut off groove. Furnished complete with a foldaway reamer blade and a spare cutting wheel which stores under the reamer. Easily adjustable to accept tubes from 1/8" thru 1 1/8" O.D. (Replacement cutting wheels available: Part No. TC2W)



CTP1 CAPILLARY TUBE CUTTER

- 5" stripper and cutter
- Fast, efficient and all purpose.




BJ10 BELT-JACK INSTANT BELT TIGHTENER

Designed to set belt tension and to help align pulleys on all belt driven units including blower motors, compressors, transmissions, and automotive components.

FEATURES


- Increases belt life
- Prevents motor overloading
- Eliminates crowbar use
- Eliminates belt damage
- Easy one hand operation
- Opens to 4 1/2" to 15" with extender
- Heavy duty 3/8-16 thread



ELD ILLUMINATED INSPECTION MIRROR/FLASHLIGHT

Allows for inspection of previously inaccessible areas and joints. Use as a pocket flashlight when optic light transfer tube is removed. This sturdy all aluminum instrument features a unique push button and continuous "ON" twist switch.

Order No. ELD



TELESCOPING TOOLS


MATCH CLIP, MAGNET, AND INSPECTION MIRRORS

FEATURES

- Double ball joint head adjustment makes viewing easy at any angle.
- Special extendable/retractable design for hard to reach jobs.
- Heavy PVC pouch offers good protection for stainless steel polished mirror of IMK3.
- Magnified glass mirror available with IM4

GLASS MIRROR!

PART NO.	DESCRIPTION	EXTENDED LENGTH
CT1	Heavy Duty Match Clip, Pocket Clip	26"
IM1	1.25" Round Glass Mirror, Pocket Clip	27"
IM2	1" X 2" Oval Glass Mirror, Pocket Clip	28"
IM3	2.25" Round Glass Mirror, Vinyl Grip Handle	14.5"
IM4	2.25" Round Magnifying Glass Mirror, Vinyl Grip Handle	14.5"
IM5	2.25" X 3.25" Rectangular Glass Mirror, Vinyl Grip Handle	15.5"
IMK3	Combination Tool, Pocket Clip Includes: Match Clip, Magnet, 2" Round Mirror & PVC Pouch	27"



FPT10, FPT13 & FPT15 FIN JACK

Straightens and separates bent fins quickly and easily. Only one tool-can be used for up to 3 sizes of fins. The unique design has a gradual taper for separation and a full inch blade straightening depth. Aluminum blades and sturdy construction of this tool will outlast any other fin tool.

PART NO.	DESCRIPTION
FPT10	9 & 10 Fins per inch
FPT13	11, 12 & 13 Fins per inch
FPT15	14, 15 & 16 Fins per inch



HANDY RING FIN COMB SET

Six of the most popular Fin Combs covering twelve different size fins on a convenient ring that fits in the tool box for easy access and prevention of loss.

SUPCO PART NO.	FINS PER INCH	COLORS	WEIGHT
FCR6	See Below	See Below	0.220



FIN COMBS

Straighten and clean evaporator and condenser fins.

SUPCO PART NO.	FINS PER INCH	COLOR	WEIGHT	INCLUDED ON RING
FC0810	8 and 10	Orange	0.032	Yes
FC0915	9 and 15	Yellow	0.032	Yes
FC1113	11 and 13	Blue	0.032	Yes
FC1214	12 and 14	Green	0.032	Yes
FC1617	16 and 17	Lime	0.032	Yes
FC1820	18 and 20	Red	0.032	Yes
FC2224	22 and 24	Purple	0.032	No




UFC1 FIN COMB

Cleans and straightens fins for better operating efficiency.

Features

- Tension bar
- Stainless steel teeth
- Exclusive "Knuckle Saver"

Order No. UFC1




COMPRESSOR LEAD SET

PART NO.	DESCRIPTION
CL8-3	Compressor Lead Set, 8", 3-Leads
CL18-3	Compressor Lead Set, 18", 3 Leads
CL8-3R	Compressor Lead Set, 8" w/ring terminal
CL18-3R	Compressor Lead Set, 18" w/ring terminal

All Compressor Lead Sets come in hanging bag for display boards.



QUICK • RELIABLE • SOLDERLESS
The Clean, Cold Connection. Lokring System for solderless tube-to-tube and hose- to tube connections for refrigeration, AC, and Automotive AC systems.



The connection can be pressurized within minutes!

LOKRING ASSEMBLY TOOL & CONNECTORS

One Assembly Tool for most sizes. Interchangeable jaws are sized to match tube diameters. HMRK-L Assembly Tool is recommended for fittings to 5/8" (16mm) and the Heavy-Duty MZ Tool for larger fittings to 7/8" (22mm).

Developed for the aerospace industry, the patented **LOKRING** System has been field-proven in millions of refrigeration and air-conditioning installations since the 1970s. **LOKRING** is the system of choice for appliance manufacturers and service technicians.

- Independent tests prove that a **LOKRING** connection is 4 times stronger than a soldered joint.
- Make direct transitions from one tube size to another using reducers or tee connections.
- The **LOKRING** System requires no special training. Service technicians can quickly learn to make flawless LOKRING Connections.
- The **LOKRING** is a cold connection. There is no danger of torch damage to components or toxic fumes from refrigerant breakdown.
- Unlike brazing, **LOKRING** eliminates any chance of system contamination.
- **LOKRING** Tube Connectors have been proven by independent test laboratories to withstand pressure up to 3000 PSI and operating temperatures from -58°F (-50°C) to +302°F (+150°C).

PART NUMBER	PART DESCRIPTION	PKG QTY
HMRKL	TOOL, APLKIT	1
MB8EVP	JAWS 5/16" 00 OR 50 SERIES FITTINGS	1
5NKMS00	COUPLING, BRASS 3/16"	5
6NKMS00	COUPLING, BRASS 1/4"	5
8NKMS00	COUPLING, BRASS 5/16"	5
6/2NRMS00	REDUCER, BRASS 1/4" - 5/16"	5
6/2.2NRMS00	REDUCER, BRASS 1/4" - .087"	5
6/5NRMS00	REDUCER, BRASS 1/4" - 3/16"	5
8/6NRMS00	REDUCER, BRASS 5/16" - 1/4"	5
8NKMSSV50	TEE, BRASS W/SCHRADER 5/16"	5
CTP1	CAPILLARY TUBE CUTTER	1
LOKPREP65G	LOKPREP 15ML	2
SBPADS	CLEANING PAD	5
MZ	TOOL, ACRKIT	1
MB10EVP	JAWS 3/8" 50 SERIES FITTINGS	1
MB12EVP	JAWS 1/2" 50 SERIES FITTINGS	1
MB16EVP	JAWS 5/8" 50 SERIES FITTINGS	1
9.53NKMS50	COUPLING, BRASS 3/8"	5
9.53NKAL50	COUPLING, ALUM 3/8"	5
13NKMS50	COUPLING, BRASS 1/2"	3
13NKAL50	COUPLING, ALUM 1/2"	3
16NKMS50	COUPLING, BRASS 5/8"	3
16NKAL50	COUPLING, ALUM 5/8"	3
13/9.53NRMS50	REDUCER, BRASS 1/2" - 3/8"	3
16/13NRMS50	REDUCER, BRASS 5/8" - 1/2"	3
CTP1	CAPILLARY TUBE CUTTER	1
LOKPREP65G	LOKPREP 15ML	2
SBPADS	CLEANING PAD	5
MB22EVP	JAWS 7/8"	1
22NKMS50	COUPLING 7/8"	2
19NKMS50	COUPLING 3/4"	2
9.53NWKMS50	ELBOW 3/8"	5
16NWKMS50	ELBOW 5/8"	3
19NWKMS50	ELBOW 3/4"	2
22NWKMS50	ELBOW 7/8"	2



POS6 TORO® PORTABLE MULTI-OUTLET/SURGE PROTECTOR

The ideal shop companion that safely converts one outlet into six without the worry of overloading or short circuits. Serves as a surge protector against electrical damage as well. U.L. listed.

FEATURES

- Six 15 amp, 125 VAC grounded receptacles
- ON/OFF indicator switch
- 15 amp push button circuit breaker
- Heavy duty cord with molded grounding plug
- Rugged flame retardant thermoplastic housing
- Built-in recessed mounting slots for flush fit



UL RECOGNIZED



P89 "VOLT SENSOR" ELECTRONIC VOLTAGE DETECTOR

This handy pocket size, battery operated instrument was specifically designed for testing the presence of voltage on electrical lines, cables, plugs, sockets, switches, etc. WITHOUT TOUCHING THE OBJECT BEING TESTED. All electrical appliances can be safely tested for ground/earth.

PART NO.	VOLTAGE RANGE
P89	12VAC-440VAC

P89 VOLT SENSOR is furnished on an attractive display card complete with two alkaline batteries and instructions.



UL RECOGNIZED



P85 "TESTER PLUS" MULTIFUNCTIONAL TEST INSTRUMENT

Suitable for 12/440 VAC testing, the pocket size TESTER PLUS uses a dual purpose probe and does not require attachments or adapters. Complete with LED indicator the P85 is furnished on an attractive display card complete with two alkaline batteries and instructions.

APPLICATIONS

- Checks continuity in bulbs, switches, relays, wiring, fuses, transformers, etc.
- Checks line, neutral and ground terminals in electrical power outlets
- Checks polarity in batteries and semiconductors



UL RECOGNIZED



APPLIANCE, REFRIGERATOR, OVEN LAMPS/BULBS

SUPCO NO.	GEM NO.	ROBERTSHAW NO.	WATTS	VOLTS	BULB SHAPE	DESCRIPTION/ BASE
15T7C	LT006	87-006	15W	130V	T	Clear/Candelabra
15T7DC	LT007	87-007	15W	130V	T	Clear/Bayonet D.C.
25T61/2	LT008	87-008	25W	130V	T	Clear/Interm. Screw
25T61/2DC	LT009	87-009	25W	130V	T	Clear/Bayonet D.C.
25T8N	LT010	87-010	25W	130V	T	Clear/Interm. Screw
25T8DC	LT011	87-011	25W	130V	T	Clear/Bayonet D.C.
40A15	LT012	87-012	40W	130V	A	Gen'l Purpose/Med.
40T61/2	LT013	87-013	40W	130V	T	Clear/Interm. Screw
40T10	LT014	87-014	40W	130V	T	Clear/Med. Screw
40T10IF	LT018	87-018	40W	130V	T	Frstd./Interm. Screw
PILOT and INDICATOR LAMPS/BULBS						
6S6	LT001	87-00	6W	130V	S	Clear/Candelabra
6S6DC	LT002	87-002	6W	130V	S	Clear/Bayonet D.C.
7C7	LT003	87-003	7W	130V	C	Clear/Candelabra
10C7	LT004	87-004	10W	130V	C	Clear/Candelabra
10C7DC	LT005	87-005	10W	130V	C	Clear/Bayonet D.C.