



## High Noon<sup>®</sup> Urethane Fortified UHS Finish

Revision: 2020-07-22

Version: 02.0

### 1. IDENTIFICATION

**Product name:** High Noon<sup>®</sup>  
Urethane Fortified UHS Finish

**Product Code:** 4003110, 4972051, 5104829

**SDS #:** MS0800406

**Recommended use:**

- Industrial/Institutional
- Floor care
- This product is intended to be used neat.

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249 SDS Internet Address: <a href="https://sds.diversey.com">https://sds.diversey.com</a>	Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171
--	---

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

**Classification for the undiluted product**

Serious eye damage/eye irritation      Category 2A

**Signal word:****Warning.****Hazard Statements****CAUSES SERIOUS EYE IRRITATION.****Precautionary Statements**

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Dispose of in accordance with all federal, state and local applicable regulations.

**Health hazards not otherwise classified (HHNOC)** - Not applicable**Physical hazards not otherwise classified (PHNOC)** - Not applicable

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Classified Ingredients

Ingredient(s)	CAS #	Weight %
2-(2-ethoxyethoxy)ethanol	111-90-0	1 - 5%
Tributoxyethyl phosphate	78-51-3	1 - 5%
Diethylene glycol butyl ether	112-34-5	> 0.1 - < 1%
Zinc ammonium carbonate	40861-29-8	> 0.1 - < 1%
Ethoxylated secondary alcohol	84133-50-6	> 0.1 - < 1%
Sodium alpha olefin sulfonate	68439-57-6	> 0.1 - < 1%

## 4. FIRST AID MEASURES

### Undiluted Product:

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

**Skin:** No specific first aid measures are required.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed:** Not applicable.

**Aggravated Medical Conditions:** None known.

## 5. FIRE-FIGHTING MEASURES

**Specific methods:**

No special methods required

**Suitable extinguishing media:**

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:**

None known.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:**

Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions and clean-up methods:**

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Keep tightly closed in a dry, cool and well-ventilated place.

**Aerosol Level (if applicable):** Not applicable.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines:**

Ingredient(s)	CAS #	ACGIH	OSHA
Diethylene glycol butyl ether	112-34-5	10 ppm (TWA)	

**Undiluted Product:**

**Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels.

**Personal Protective Equipment**

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

<b>Eye protection:</b>	Chemical-splash goggles.
<b>Hand protection:</b>	Chemical-resistant gloves.
<b>Skin and body protection:</b>	If major exposure is possible, wear suitable protective clothing and footwear.
<b>Respiratory protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b> Liquid	<b>Color:</b> Opaque, White
<b>Evaporation Rate:</b> No information available	<b>Odor:</b> Characteristic
<b>Odor threshold:</b> No information available.	<b>Boiling point/range:</b> Not determined
<b>Melting point/range:</b> Not determined	<b>Decomposition temperature:</b> Not determined
<b>Autoignition temperature:</b> No information available	<b>Solubility:</b> Completely Soluble
<b>Solubility in other solvents:</b> No information available	<b>Relative Density (relative to water):</b> 1.03
<b>Density: Specific gravity:</b> 1.032 Kg/L	<b>Vapor density:</b> No information available
<b>Bulk density:</b> No information available	<b>Vapor pressure:</b> No information available.
<b>Flash point (°F):</b> > 200 °F > 93 °C	<b>Partition coefficient (n-octanol/water):</b> No information available
<b>Viscosity:</b> No information available	<b>Elemental Phosphorus:</b> 0.19 % by wt.
<b>VOC:</b> 1 % *	<b>pH:</b> ≈ 9.75
<b>Flammability (Solid or Gas):</b> Not applicable	<b>Corrosion to metals:</b> Not corrosive to metals
<b>Sustained combustion:</b> Not applicable	
<b>Explosion limits: - upper:</b> Not determined - <b>lower:</b> Not determined	

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	Not Applicable
<b>Stability:</b>	The product is stable
<b>Hazardous decomposition products:</b>	None reasonably foreseeable.
<b>Materials to avoid:</b>	Do not mix with any other product or chemical unless specified in the use directions.
<b>Conditions to avoid:</b>	None known.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Skin contact, Inhalation, Eye contact

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Unlikely to be irritant in normal use.

**Eye contact:** Causes serious eye irritation. Symptoms may include pain, redness, and watering.

**Ingestion:** Symptoms may include stomach pain and nausea. May be irritating to mouth, throat and stomach.

**Inhalation:** Symptoms may include coughing and difficulty breathing. May be irritating to nose, throat, and respiratory tract.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):** None known

### Numerical measures of toxicity

**ATE - Oral (mg/kg):** >5000

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

### 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products (undiluted product):** This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**RCRA Hazard Class (undiluted product):** Not Regulated  
**Contaminated Packaging:** Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

**DOT (Ground) Bill of Lading Description:** NOT REGULATED

**IMDG (Ocean) Bill of Lading Description:** NOT REGULATED

### 15. REGULATORY INFORMATION

**International Inventories at CAS# Level**

TSCA All components are listed or otherwise exempt  
 DSL All components are listed or otherwise exempt

**RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Modified Acrylic Polymer	Proprietary	-	-	-	-
2-(2-ethoxyethoxy)ethanol	111-90-0	-	X	-	-
Tributoxyethyl phosphate	78-51-3	-	-	-	-
Ethylene copolymer	67892-91-5	-	-	-	-
Diethylene glycol butyl ether	112-34-5	-	X	-	-
Zinc ammonium carbonate	40861-29-8	-	X	-	-
Ethoxylated secondary alcohol	84133-50-6	-	-	-	-
Sodium alpha olefin sulfonate	68439-57-6	-	-	-	-
N-methyl-2-pyrrolidone	872-50-4	X	X	X	-
Isopropyl alcohol	67-63-0	X	X	X	-
Methyl methacrylate	80-62-6	X	X	X	X
Triethylamine	121-44-8	X	X	X	X
Silica	7631-86-9	X	-	X	-
Ethyl acrylate	140-88-5	X	X	X	X
1,4-dihydroxybenzene	123-31-9	X	X	X	X
Diammonium peroxodisulphate	7727-54-0	-	X	-	-

**CERCLA/ SARA**

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-(2-ethoxyethoxy)ethanol	111-90-0	1 - 5%			X
Diethylene glycol butyl ether	112-34-5	> 0.1 - < 1%			X
Zinc ammonium carbonate	40861-29-8	> 0.1 - < 1%			X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-(2-ethoxyethoxy)ethanol	X		
Diethylene glycol butyl ether	X		

Ingredient(s)	CAS #	NPRI
Diethylene glycol butyl ether	112-34-5	X

## 16. OTHER INFORMATION

### **NFPA (National Fire Protection Association)**

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

**Health** 1

**Flammability** 0

**Instability** 0

**Special Hazards** -

**Revision:** 2020-07-22

**Version:** 02.0

**Reason for revision:**

Not applicable

**Prepared by:**

North American Regulatory Affairs

**Additional advice:**

- Does not contain an added fragrance
- This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*