



# Safety Data Sheet

## Spartan Chemical Company, Inc.

Revision Date: 25-Feb-2022

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product Identifier

**Product Name:** CONSUME ECO-LYZER  
**Product Number:** 3297 , 3297R  
**Recommended Use:** Disinfectant  
**Uses Advised Against:** For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, Ohio 43537 USA  
800-537-8990 (Business hours)  
[www.spartanchemical.com](http://www.spartanchemical.com)

#### 24 Hour Emergency Phone Numbers:

**Medical Emergency/Information:** 888-314-6171  
**Transportation/Spill/Leak:** CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

**Skin Corrosion/Irritation:** Category 2  
**Serious Eye Damage/Eye Irritation:** Category 1

#### GHS Label Elements

**Signal Word:**

**Danger**

**Symbols:**



**Hazard Statements:** Causes serious eye damage  
Causes skin irritation

#### Precautionary Statements:

**Prevention:** Wash hands and any exposed skin thoroughly after handling.  
Wear protective gloves  
Wear eye / face protection

#### Response:

**-Eyes** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

**-Skin** IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse

**-Specific Treatment:** See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

**Storage:** Not Applicable

**Disposal:** Not Applicable

**Hazards Not Otherwise Classified:** Not Applicable

**Other Information:**

- May be harmful if swallowed
- Inhalation of vapors or mist may cause respiratory irritation.
- This product contains living bacterial spores. Avoid contact with open wounds, broken skin or mucus membranes.
- Keep out of reach of children

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Dicapryl/Dicaprylyl Dimonium Chloride	68424-95-3	1-5
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride	68424-85-1	1-5
Undeceth-3	34398-01-1	1-5
Alcohol	64-17-5	1-5
Poly(oxy-1,2-ethanediyl), a,a'-[[methyl[3-(tridecyloxy)propyl]iminio]di-2,1-ethanediyl]bis[w-hydroxy-, branched, chlorides	68610-19-5	0.1-1
Hydroxyethylcellulose	9004-62-0	0.1-1
Calcium Chloride	10043-52-4	0.1-1
Octyldecylmethylamine	22020-14-0	0.1-1
Fragrance	PROPRIETARY	<0.1
Diethyl Phthalate	84-66-2	<0.1
Linalool	78-70-6	<0.1
Potassium Hydroxide	1310-58-3	<0.1
Citric Acid	77-92-9	<0.1
Teal Colorant	PROPRIETARY	<0.1
Bacterial Spores	PROPRIETARY	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

- Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
- Skin Contact:** Wash with soap and water. If skin irritation occurs: Get medical attention.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
- Note to Physicians:** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

- Suitable Extinguishing Media:** Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire
- Specific Hazards Arising from the Chemical:** Dried product is capable of burning. Combustion products are toxic.
- Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
- Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions:</b>	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
<b>Environmental Precautions:</b>	Do not rinse spill onto the ground, into storm sewers or bodies of water.
<b>Methods for Clean-Up:</b>	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

## 7. HANDLING AND STORAGE

<b>Advice on Safe Handling:</b>	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
<b>Storage Conditions:</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.
<b>Suggested Shelf Life:</b>	1 year from date of manufacture.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Diethyl Phthalate 84-66-2	TWA: 5 mg/m <sup>3</sup>	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

<b>Engineering Controls:</b>	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered. Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.
<b>Personal Protective Equipment</b>	
<b>Eye/Face Protection:</b>	Wear splash goggles.
<b>Skin and Body Protection:</b>	Wear rubber or other chemical-resistant gloves.
<b>Respiratory Protection:</b>	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
<b>General Hygiene Considerations:</b>	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance/Physical State:</b>	Liquid
<b>Color:</b>	Teal
<b>Odor:</b>	Floral fragrance
<b>pH:</b>	6.5-7.5
<b>Melting Point / Freezing Point:</b>	No information available
<b>Boiling Point / Boiling Range:</b>	100 °C / 212 °F
<b>Flash Point:</b>	> 100 °C / > 212 °F ASTM D56
<b>Evaporation Rate:</b>	< 1 (Butyl acetate = 1)
<b>Flammability (solid, gas)</b>	No information available
<b>Upper Flammability Limit:</b>	No information available
<b>Lower Flammability Limit:</b>	No information available
<b>Vapor Pressure:</b>	No information available
<b>Vapor Density:</b>	No information available
<b>Specific Gravity:</b>	0.995
<b>Solubility(ies):</b>	Soluble in water
<b>Partition Coefficient:</b>	No information available
<b>Autoignition Temperature:</b>	No information available
<b>Decomposition Temperature:</b>	No information available
<b>Viscosity:</b>	No information available

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	This material is considered to be non-reactive under normal conditions of use.
<b>Chemical Stability:</b>	Stable under normal conditions.
<b>Possibility of Hazardous Reactions:</b>	Not expected to occur with normal handling and storage.
<b>Conditions to Avoid:</b>	Extremes of temperature and direct sunlight.
<b>Incompatible Materials:</b>	Strong oxidizing agents. Strong acids.
<b>Hazardous Decomposition Products:</b>	May include carbon monoxide, carbon dioxide (CO <sub>2</sub> ) and other toxic gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

<b>Likely Routes of Exposure:</b>	Eyes, Skin, Ingestion, Inhalation.
<b>Symptoms of Exposure:</b>	
<b>-Eye Contact:</b>	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
<b>-Skin Contact:</b>	Pain, redness and cracking of the skin.
<b>-Inhalation:</b>	Nasal discomfort and coughing.
<b>-Ingestion:</b>	Pain, nausea, vomiting and diarrhea.
<b>Immediate, Delayed, Chronic Effects</b>	
<b>Product Information:</b>	Data not available or insufficient for classification.
<b>Target Organ Effects:</b>	Blood. Central nervous system. -Eyes. Liver. Reproductive System. Respiratory System. -Skin.
<b>Numerical Measures of Toxicity</b>	
The following acute toxicity estimates (ATE) are calculated based on the GHS document.	
ATEmix (oral):	2386 mg/kg
ATEmix (dermal):	33966 mg/kg

### Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	Not Available	Not Available
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride 68424-85-1	= 426 mg/kg ( Rat )	Not Available	Not Available

Alcohol 64-17-5	= 7060 mg/kg ( Rat )	Not Available	= 124.7 mg/L ( Rat ) 4 h
Calcium Chloride 10043-52-4	= 1000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	Not Available
Diethyl Phthalate 84-66-2	= 8600 mg/kg ( Rat )	> 11200 mg/kg ( Rat )	> 4.64 mg/L ( Rat ) 6 h
Linalool 78-70-6	= 2790 mg/kg ( Rat )	Not Available	Not Available
Potassium Hydroxide 1310-58-3	= 284 mg/kg ( Rat )	Not Available	Not Available
Citric Acid 77-92-9	= 3 g/kg ( Rat )	Not Available	Not Available

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Alcohol 64-17-5	Not Available	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
Calcium Chloride 10043-52-4	Not Available	10650: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	2400: 48 h Daphnia magna mg/L LC50
Diethyl Phthalate 84-66-2	23: 72 h Desmodesmus subspicatus mg/L EC50 23: 72 h Desmodesmus subspicatus mg/L EC50 static 21: 96 h Desmodesmus subspicatus mg/L EC50 21: 96 h Desmodesmus subspicatus mg/L EC50 static 42 - 255: 72 h Pseudokirchneriella subcapitata mg/L EC50 2.11 - 4.29: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	17: 96 h Pimephales promelas mg/L LC50 flow-through 16.8: 96 h Pimephales promelas mg/L LC50 static 22: 96 h Lepomis macrochirus mg/L LC50 flow-through 16.7: 96 h Lepomis macrochirus mg/L LC50 static 12: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	Not Available	36 - 74: 48 h Daphnia magna mg/L EC50 86: 48 h Daphnia magna mg/L EC50 Static
Linalool 78-70-6	88.3: 96 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	20: 48 h Daphnia magna mg/L EC50
Citric Acid 77-92-9	Not Available	1516: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Marine Pollutant:** Yes.

**Other Adverse Effects:** No information available

## 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.

**Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

<b>DOT:</b>	Not Regulated
<b>UN/ID No:</b>	Non Hazardous Product
<b>Special Provisions:</b>	Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.
<b>IMDG:</b>	
<b>UN/ID No:</b>	UN3082
<b>Proper Shipping Name:</b>	Environmentally Hazardous Substance, liquid, n.o.s., (contains quaternary ammonium chloride), Marine Pollutant
<b>Hazard Class:</b>	9
<b>Packing Group:</b>	III
<b>Marine Pollutant:</b>	Yes.
<b>Additional information:</b>	According to IMDG Code 2.10.2.7, marine pollutants packed in single or inner packagings with a capacity of not more than 5 L or 5 kg are excluded from marine pollutant marking requirements.

## 15. REGULATORY INFORMATION

**TSCA Status:** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**SARA 313**

This product does not contain listed substances above the "de minimus" level

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard:</b>	Yes
<b>Chronic Health Hazard:</b>	No
<b>Fire Hazard:</b>	No
<b>Sudden release of pressure hazard:</b>	No
<b>Reactive Hazard:</b>	No

**California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

**EPA Pesticide Registration Number:** 5741-24

**EPA Statement:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**EPA Pesticide Label:**

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if absorbed through the skin. May be fatal if inhaled. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. Wear protective eye wear (goggles/face shield/safety glasses), rubber gloves, and protective clothing. Wash thoroughly with soap and water after handling and before eating, drinking, smoking tobacco, chewing gum or using the toilet. Remove contaminated clothing and wash clothing before reuse. Use-Dilution Precautions: Harmful if inhaled. Avoid breathing vapor and spray mist. Remove contaminated clothing and wash clothing before reuse. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear (goggles /face shield / safety glasses). Wash thoroughly with soap and water after handling.

## 16. OTHER INFORMATION

<b>NFPA</b>	<b>Health Hazards:</b> 3	<b>Flammability:</b> 0	<b>Instability:</b> 0	<b>Special:</b> N/A
<b>HMIS</b>	<b>Health Hazards:</b> 3	<b>Flammability:</b> 0	<b>Physical Hazards:</b> 0	

**Revision Date:** 25-Feb-2022

---

Reasons for Revision: Section, 9

**Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**