

# PROFESSIONAL PERFORMANCE



**TOILETS**



**GERBER**

[gerberonline.com](http://gerberonline.com)

**PRESSURIZED POWER**  
For The Most Demanding Applications



**ULTRA FLUSH®**

The Ultimate Flushing Machine

**EXCEPTIONAL PERFORMANCE...**  
Every Time!



**Avalanche®**


Gravity Defying Performance

**STANDARD ON EVERY GERBER TOILET FOR RELIABLE PERFORMANCE**

Standard on every maximum performance GERBER toilet

**Dual-Fed Siphon Jet**

- Second jet feed increases the force of the flush, clearing the bowl quickly
- Provides large water surface for a cleaner bowl (figure A)
- Water stays in the bowl — no splashing, reduces contamination
- Improves drain line carry (figure B)



## PROFESSIONAL'S CHOICE

Set-It And Forget-It Reliability




**viper**

Upgrade to Higher Performance

### Exclusive mounting system standard on every GERBER toilet

- Six points of tank to bowl contact for superior stability (figure C)
- Double nut tank to bowl connection (figure D)
  - Tank bolts can be installed easily, sealing the tank prior to mounting on the bowl
  - Second nut for leveling, not needed for water seal



## EXCEPTIONAL VALUE



**MAXWELL**<sup>®</sup>

The Starting Line for Performance



**GERBER**

# ULTRA FLUSH®

The Ultimate Flushing Machine -  
*Pressure assisted design*

- Maximum bowl clearing and line carry
- Ideal for heavy use applications
- Widest array of pressure assisted models available
- Reliable SLOAN FLUSHMATE® Vessel
- 10 year warranty on all non-ceramic components inside
- Uses up to 30% less water than standard units



- 1 Best-In-Class Sloan® Flushmate® components & support
- 2 Non-sweating insulated tank
- 3 Extra large 3" average trapway = maximum bowl clearing
- 4 Extra large water surface for maximum bowl cleansing
- 5 Industry leading drainline carry

\*See warranty statement for details

## 1.6 gpf (6 Lpf)

- Sloan® Flushmate®
- Over 3" average trapway
- 10", 12", and 14" rough-ins available

## 1.28 gpf (6 Lpf)

- Sloan® Flushmate®
- 10", 12", and 14" rough-ins

## 1.1/1.6 gpf (4/6 Lpf)

- Sloan® Flushmate®
- Over 3" average trapway
- 12" rough-in

## 1.1 gpf (4 Lpf)

- Sloan® Flushmate®
- Over 3" average trapway
- 12" and 14" rough-ins



### PROJECT SPOTLIGHT:

The Westgate Park City Resort & Spa in Park City, Utah, chose Gerber® as the elite plumbing manufacturer for Westgate Resorts' illustrious ski resort.



The **ULTRA FLUSH®** high performance toilet was chosen for its advanced flushing performance, ideal for high-traffic applications.

*"I prefer and use Gerber's Ultra Dual Flush toilets because they provide quality flushing while reducing water usage."*

- Mike Kalkbrenner  
Benjamin Franklin Plumbing  
Minneapolis, MN

# Avalanche®



Rated by a Leading Consumer Publication

- Exceptional performance...every time
- Reliable Fluidmaster® components inside
- 10 year warranty on all non-ceramic parts and components
- Quick action 3" Fluidmaster® flush valve with stainless steel flapper chain
- Sleek, yet strong design
- Side mounted all metal tank lever w/solid brass arm

- 1 Durable, color matched and side mounted metal tank lever
- 2 Best-in-class Fluidmaster® 400A fill valve
- 3 Gerber engineered proprietary trapway design
- 4 Unique rim jet design facilitates superb waste clearing and bowl cleansing



\*See warranty statement for details

### 1.6 gpf (6 Lpf)

- Insulated tank and right-hand tank lever options available
- 10", 12", and 14" rough-ins

### LS, 1.28 gpf (4.8 Lpf)

- Leak Sentry Fluidmaster® fill valve
- 10", 12", and 14" rough-ins

### 1.28 gpf (4.8 Lpf)

- 10", 12", and 14" rough-ins



### 1.28 gpf (4.8 Lpf), 1-Piece

- Compact elongated toilet fits in a round-front space
- Slow-close toilet seat included
- 12" rough-in



### 1.28 gpf (4.8 Lpf), 1-Piece

- Concealed trapway makes the bathroom easy to clean
- Slow-close toilet seat included
- 12" rough-in



### PROJECT SPOTLIGHT:

To preserve water, the Crowne Plaza in Glen Ellyn, Illinois, selected leading plumbing manufacturer Gerber® for all of the facility's fixture needs. Specifically, Gerber's Ultra Flush®, Viper®, and **Avalanche®** toilets



and urinals were chosen for their advanced flushing performance and overall water savings.

*"Gerber's Avalanche toilet has a strong, complete flush, and the product truly moves the water. As a plumber, I appreciate the flushing technology. As a homeowner, I appreciate the cleaner bowl."*

- Kathy Vogel  
Benjamin Franklin Plumbing  
Warminster, PA

# viper™

## Upgrade to Higher Performance

- The professional's choice
- Set-It and Forget-It Performance
- Trusted Fluidmaster® 400A fill valve
- Metal tank lever with solid brass arm
- Quick action 3" flush valve with stainless steel flapper chain

- ① Durable color-matched metal tank lever
- ② Reliable Fluidmaster® 400A fill valve
- ③ Quick action 3" flush valve
- ④ Large footprint ideal for replacements



**1.6 gpf** (6 Lpf)

- 10", 12", and 14" rough-ins


**1.28 gpf** (4.8 Lpf)

- 10", 12", and 14" rough-ins



**1.28 gpf** (4.8 Lpf)

- Elongated comfort and style in a round front space
- Compact Elongated
- 12" rough-in



### PROJECT SPOTLIGHT:

The Courtyard by Marriott selected Gerber's Viper® toilet to be included in its latest hotel properties in the northwest Minneapolis suburbs.



The **Viper**® gravity-fed toilet offers advanced flushing performance, ideal for high-traffic areas such as a hotel.

*"My favorite toilets by Gerber are Viper models. These toilets are high-quality products, offering a consistent flush that are easy to install."*

- Neil "Spanky" McCoy  
Jamestown Plumbing, Heating & AC, Inc.  
Jamestown, ND

# MAXWELL®

## The Starting Line for Performance

- Dual-fed siphon jet
- Consistent performance
- Good value
- Simple design

- 1 Dual-fed siphon jet for quick bowl clearing
- 2 Multi-point tank to bowl mounting system
- 3 Double nut tank connection



### 1.6 gpf (6 Lpf)

- 10", 12", and 14" rough-ins

### 1.28 gpf (4.8 Lpf), 1-Piece

- Easy to clean 1-piece construction
- 12" rough-in



### 1.28 gpf (4.8 Lpf)

- Compact Elongated ADA ErgoHeight
- Back outlet
- 10", 12", and 14" rough-ins



### 1.28 gpf (4.8 Lpf), Wall Hung

- Compact Elongated
- Back outlet
- 4.25" vertical rough-in
- Fits standard wall hangers



### PROJECT SPOTLIGHT:

Montalcino is a community of 73 ENERGY STAR® qualified homes located in the Montalcino Questa neighborhood in California. Built by Standard Pacific Homes, the contractor selected Gerber's eco-friendly, high-efficiency Maxwell® toilets due to the company's strong reputation for delivering top performing plumbing products.



GERBER

	<b>ULTRA FLUSH®</b>	<b>Avalanche</b>	<b>viper</b>	<b>MAXWELL®</b>
Multipoint tank-bowl	•	•	•	•
Dual-fed siphon jet	•	•	•	•
Fully glazed trapway	—	•	•	•
Oversized 3" trapway	•	—	—	—
Non-corrosive brass tank bolts	•	•	•	•
Polymer wing nuts	•	•	•	•
Stainless steel flapper chain	—	•	•	—
Color matched tank lever	—	•	•	•
Tank lever	Metal w/brass arm	Metal w/brass arm	Metal w/brass arm	All plastic
Flush valve size	N/A	3"	3"	3"
Fill valve type	Sloan Flushmate	Fluidmaster® 400A	Fluidmaster® 400A	Pilot valve
Flush valve/flapper	Sloan Flushmate	Fluidmaster® Premium	WDI	WDI
Water surface	12 x 10	11 x 9	10 x 7	9 x 7
Anticipated MaP Score*	1300g	1000+g	1000g	800g
Consistency	95%	98%	85%	75%
1.6 gpf	•	•	•	•
HET 1.28 gpf	•	•	•	•
Dual Flush	•	—	—	•
Bowls	RF, EL, Ergo, Back	RF, EL, Ergo	RF, EL, Ergo	RF, EL, Ergo, Back
Rough-Ins	10, 12, 14	10, 12, 14	10, 12, 14	10, 12, 14
Insulated tanks	•	•	•	•
Right hand levers	•	•	•	•
Colors	Standard	Standard	Standard, Premium	Standard
Compact EL	—	1 pc	2 pc	Back outlet
Warranty VC	Lifetime	Lifetime	Lifetime	Lifetime
Warranty TRIM	10 Year	10 Year	5 Year	5 Year
Drain line	60 ft	52 ft	45 ft	40 ft
General Style	Strong	Slim	Angular	Standard
Tank lever	Front	Side	Angle	Front
Application	Heavy use	Design	Value	Basic
Ideal target application	Commercial	Consumers	Contractor	Builder

\* According to CSA-Certified lab,



**GERBER**  
gerberonline.com