

Material Safety Data Sheet

	805-HELP (4357) zepcommercial.com	Water		iy Dala	
		Section 1. Chemic	cal Product and	l Company Iden	tification
		Product name	Grout Cle	aner & Whiter	ier
		Product code	ZU1046		
		Date of issue	11/09/07	Supersedes	
		Emergency Telephor	ne Numbers		
		For MSDS Informat Compliance Services			
		For Medical Emerge INFOTRAC: (877) 5 Recorded		e - All Calls	
	For Transportation Emergency CHEMTREC: (800) 424-9300 - All Calls Recorded In the District of Columbia (202) 483-7616				
			imbia (202) 483-7	/616	
Prepared By Compliance Services Group 1420 Seaboard Industrial Blvd. Atlanta, GA 30318					
Section 2. H	lazards Identification				
Emergency		*Hazard Determination Sys	stem (HDS): Health, Flam	mability, Reactivity	
DANGER			3 0	0	
HARMFUL IF MAY BE FAT	E AND SKIN BURNS. ABSORBED THROUGH SKI AL IF SWALLOWED. ata pertains to the product as deliv		containor(s) Pisk	of advorse offects a	re lessened by following
prescribed safe	ty precautions, including the use o	f proper personal protective e	equipment.	or adverse enects a	re lessened by following
Acute Effects	· · · · · · · · · · · · · · · · · · ·	Eye contact. Absorbed	e	e	1.
Eyes	Causes eye burns. Direct contac blindness.		-	-	
Skin	Skin contact may produce burns. Harmful if absorbed through the skin. Skin inflammation is characterized by itching, scaling, reddening or, occasionally, blistering.				
Inhalation	Inhalation Irritating to respiratory system. Inhalation of high concentrations of vapor may affect the central nervous system.				
Ingestion	May be fatal if swallowed. May	cause burns to mouth, throa	at and stomach.		
Chronic effec	upper respiratory tract,	exposure to the substance of central nervous system. Rory tract irritation leading to	epeated or prolon	ged exposure to sp	ray or mist
Carcinogenic	ity Ingredients: Not listed as care Additional Info	cinogen by OSHA, NTP or mation: See Toxicological In		ı 11)	
Section 3. C	omposition/Information on I	naredients			
Name of Hazard	-	•		CAS number	<u>% by Weight</u>
ETHYLENE G	RIC ACID; muriatic acid; hydro LYCOL MONOBUTYL ETHEF ide; carbamidic acid		cellosolve	7647-01-0 111-76-2 57-13-6	1 - 10 1 - 10 1 - 10
	irst Aid Measures				
Eye Contact	Immediately flush eyes with remove any contact lenses.				
Skin Contact	•				•

Skin Contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Chemical burns must be treated promptly by a physician. Get medical attention.

- Inhalation Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If irritation persists, get medical attention.
- Ingestion Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Product code ZU104	6 Material Safety	Data Sheet	Product Name Grout Cleaner & Whitener	
Section 5. Fire Fig	hting Measures	res National Fire Protection Association (U.S.A.)		
Flash Point	None.	3 0		
Flammable Limits	Not applicable.			
Flammability	Non-combustible.			
Fire hazard	May decompose to form toxic/corrosive g	ases.		
Fire-Fighting Procedures	Use an extinguishing agent suitable for the appropriate protective equipment.	e surrounding fire. F	ire-fighters should wear	

Section 6. Accidental Release Measures

Spill Clean up Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and Storage

- **Handling** Put on appropriate personal protective equipment (see section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep out of the reach of children.

Section 8. Exposure Con	trols/Personal Protection					
Product name	Exposure	Exposure limits				
Hydrochloric Acid Ethylene Glycol Monobutyl Ether	CEIL: 5 ppm OSHA PEL (U CEIL: 7 mg/r ACGIH TLV (TWA: 20 ppr	ACGIH TLV/OSHA PEL (United States). CEIL: 5 ppm 8 hour(s). OSHA PEL (United States). CEIL: 7 mg/m ³ 8 hour(s). ACGIH TLV (United States). TWA: 20 ppm 8 hour(s). Form: OSHA PEL (United States). Skin				
Urea	AIHA WEEL (n 8 hour(s). Form: / United States). /m³ 8 hour(s). Form: Dust				
Personal Protective Equi						
Eyes Splash gogg						
Body Wear approp Rubber glov	ate protective clothing to prevent skin contact.					
	y Use with adequate ventilation. A respirator is not needed under normal and intended conditions of product use.					
Section 9. Physical and (Chemical Properties					
Physical StateLiquid.pH<1 [Acid	12°F)	Color Clear. Colorless to light yellow. Odor Sassafras Vapor Pressure Not determined. Vapor Density Not determined. Evaporation Rate Not determined. VOC (Consumer) 22 (g/l). 0.18 lbs/gal 2.10%				
Section 10. Stability and	Reactivity					
Stability and Reactivity Incompatibility Hazardous Polymerizatio	metals and alkalis.	e following materials: Bleaching agents, oxidizing materials,				
- Hazardous Decompositio		les (CO, CO ₂), nitrogen oxides (NO, NO ₂ etc.)				

Section 11. Toxicological Information	on			
Acute Toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Hydrochloric Acid	LD50 Oral	Rabbit	900 mg/kg	-
	LC50 Inhalation Vapor	Rat	3124 ppm	1 hours
Ethylene Glycol Monobutyl Ether	LD50 Dermal	Rabbit	680 mg/kg	-
	LD50 Oral	Rat	1746 mg/kg	-
	LC50 Inhalation Vapor	Rat	450 ppm	4 hours

Aquatic Ecotoxicity

Not available.

Section 13. Disposal Considerations

Waste Information

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Code: D002

Classification: - (Hazardous waste.) Origin: - (RCRA waste.)

Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
DOT Classification	UN3264	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid) or Consumer commodity ORM-D in limited quantities	Class 8: Corrosive liquid.	п	
TDG Classification	UN3264	Corrosive liquid, n.o.s.	TDG Class 8: Corrosive liquid.	п	
IMDG Class	Not available.	Not available.	Not available.	-	

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG* : Packing group

Section 15. Regulatory Information

U.S. Federal Regulations

SARA 313 toxic chemical notification and release reporting:

Product name

Ethylene Glycol Monobutyl Ether (Glycol Ethers)

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: Hydrochloric Acid (RQ 5,000 lbs) Clean Air Act (CAA) 112 regulated toxic substances: No products were found. All Components of this product are listed or exempt from listing on TSCA Inventory.

State Regulations

California Prop No products were found. 65

Canada

WHMIS (Canada)

Class D-1B: Material causing immediate and serious toxic effects (Toxic). Class D-2B: Material causing other toxic effects (Toxic). Class E: Corrosive liquid. Product code ZU1046

Material Safety Data Sheet

Product Name Grout Cleaner & Whitener

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.